



Social Macroeconomics

Working Paper Series

Whom can you trust? Reputation and cooperation in networks

SM-WP-2019

May 2019

Maia King, Blavatnik School of Government and Nuffield College,
University of Oxford



Rebuilding Macroeconomics



Whom can you trust?

Reputation and cooperation in networks*

Maia King[†]

May 21, 2019

Abstract

This paper investigates cooperation when information about players' reputations spreads to their future partners through network connections. We find that information supports cooperation by increasing trust between players, and obtain the 'radius of trust': an endogenous network listing the potentially cooperative relationships between pairs of players in a community. We identify two aspects of trust, which relate to the network structure in different ways. Where trust depends on the shadow of punishment, players are trusted if others can communicate about them. This is linked to 2-connectedness of the network and the length of cycles within it. Where trust relates to knowledge of a player's type, players are trusting if they are more likely to receive information through their network connections, which is linked to a new centrality measure. Centrality depends on the probabilities of node-to-node information transmission by diffusion, for which we provide a novel and simple method of calculation.

JEL classification: C73, D83, D85, L14, Z13.

Keywords: Cooperation, community enforcement, information transmission, networks, imperfect private monitoring, repeated games, reputation, trust.

*I am grateful for helpful comments from Nizar Allouch, Sergio Currarini, Matthew Elliott, Aniol Llorente-Saguer, Rachel Kranton, Francesco Nava, Matthew Jackson, Tomas Rodriguez-Barraquer, Amrish Patel, Alex Teytelboym, Nicole Tabasso, Chara Tzanetaki, Richard Stead, Andrew King, two anonymous referees, and to seminar participants at ESNIE 2014, UECE 2014, QMUL networks conference 2015, Warwick PhD conference 2015, CTN 2015, Harvard Conference on Information Transmission in Networks 2015, the French Symposium on Games 2015, and a Nuffield College seminar on Networks and Games, 2016. I am grateful for stipendiary funding from the School of Economics and Finance, Queen Mary, University of London

[†]Blavatnik School of Government and Nuffield College, University of Oxford. E-mail: maia.king@bsg.ox.ac.uk

1 Introduction

The extent to which individuals can trust and cooperate with each other in the absence of formal enforcement has important effects on economic outcomes and has long been a topic of scholarly interest.¹ Trust consists of “placing valued outcomes at risk of others’ malfeasance” (Tilly, 2004), and empirical research on trust often makes use of the standard survey question: “generally speaking, would you say that most people can be trusted, or that you can’t be too careful in dealing with people?”

But where does this trust come from? In economic models of bilateral interactions, there are two main reasons why one person might trust another, even in the face of temptation. Firstly, because their partner could face *punishment* for behaving badly, shifting their *incentives* away from shirking. In this case, if a player knows the expected punishment facing their partner, they can decide whether to trust them or not depending on whether they think the punishment is strong enough to incentivise good behaviour. Secondly, their partner’s *type* could determine their action: they may be a *good type* who is immune to temptation — or a *bad type* who will always cheat no matter what. In this case, if a player knows his partner’s type, then he knows whether to trust him or not.

In this paper we build a model which examines both drivers of trust — incentives and types — and show how each aspect depends on the structure of a communication network which connects players. These links could depend on many factors: family and kin relationships; friendships or trading relationships; or proximity given by physical geography such as roads, rivers or the streets of a town. We use a two-sided trust model that allows players to cooperate in a prisoner’s dilemma game if and only if they both trust each other. Cooperation is supported by community enforcement, not just retaliation by the victim: other members of the group will punish a deviator if they find out what he has done.²

In particular, this paper modifies Dixit (2003b)’s model of trade expansion to apply in a network setting, allowing us to find a ‘*cooperation network*’ which describes who can cooperate with whom within a community. This network of cooperation is endogenous to the communication network — though not a subgraph of it — and the other parameters of the model, and shows how certain communication network structures can be more or less

¹See Coleman (1988); Ostrom (1990); Fukuyama (1996); Putnam et al. (1994); Knack and Keefer (1997); Leeson (2005); Papaioannou (2013).

²Community enforcement can support cooperation in many settings (Greif, 1993), and its reliance on information transmission between players has been highlighted by Kandori (1992): “*In small communities where members can observe each other’s behaviour [...] the crux of the matter is information transmission among the community members.*”

supportive of overall levels of cooperation, and hence lead to higher (or lower) payoffs.

Our model uses Bayesian updating of signals about deviations that travel through the network. In order to do so, we develop a new measure for the probability of node-to-node information transmission in networks. This is based on the *diffusion* approach of Banerjee, Chandrasekhar, Dufflo and Jackson (2013), where *diffusion centrality* measures the expected number of times a signal is transmitted between nodes. We modify this measure in order to find probabilities of information transmission by diffusion, from which we construct a new measure of centrality — *word-of-mouth centrality* — which gives the average probability that a signal emitted by each node will be received by any other node in the network. Our approach eliminates the double counting of signals in diffusion centrality (Bramoullé and Genicot, 2018), by using De Morgan’s laws. We also construct versions of this centrality measure when some nodes do not pass on signals, called *obstructed* and *obstructing centrality*.

We find that a pair of players can cooperate if and only if they can both trust each other not to deviate. In particular, a player is *trusted* to cooperate if his position in the network means that other players are able to communicate about him. When trust depends on incentives, what matters is players’ expectations of the likelihood of detection and hence punishment. This in turn is linked to *obstructing centrality*: the average probability that other players can communicate about someone, if he tries to obstruct the message.

We also identify a second aspect of trust: a player is *trusting* if his network position means he is likely to detect deviations by others. When trust depends on a knowledge of players’ types, payoffs are linked to *obstructed centrality*, which gives the average probability that a player will receive messages that have been obstructed by others. Players who have better knowledge of past play because of their central network position can be more trusting.

We find that both aspects of trust increase with greater probabilities of information transmission, expanding the number of players who can cooperate, and leading to (weakly) higher welfare as information flow increases. These two centrality measures, and hence the two aspects of trust, do not necessarily move together, leading to some surprising results in certain networks. For example, we might expect the centre of a star to be very trusted, because everyone can observe him. Not so. In fact we find that for most parameters in a star network, players on the periphery can cooperate with each other, but the centre is excluded from cooperation. This is because if the centre deviates, the periphery players cannot inform each other about his behaviour, because they are completely dependent upon him for their communication (his obstructing centrality is zero). Hence they cannot trust him not to deviate. We also find cases where the two aspects of trust are diametrically opposed to

each other. In a line network, players in the centre of the line cannot be trusted because those at the two ends of the line cannot communicate with each other about the centre's bad behaviour. On the other hand, these central players are very trusting because their network position means they are highly likely to receive signals about others' deviations. In fact, in the line network, those players who are neither in the centre nor the end have the highest capacity to cooperate, echoing the concept of *middle-status conformity* (Phillips and Zuckerman, 2001).³

1.1 Related literature

The important effect of networks in shaping and influencing economic outcomes has long been emphasised, most recently by Jackson (2008) and Goyal (2007). In particular, there is now a growing literature examining repeated games where interactions and/or monitoring are influenced by a network connecting players, surveyed comprehensively by Nava (2016).⁴

Dixit (2003b) looks at peer enforcement when community members are distant from each other. He allows distance to affect three things: the probability players meet, the payoffs if they do, and also the probability they can exchange information. In his model, a continuum of players are arranged around a circle, and cooperation between pairs of players, who are matched in the first period of a two-period game, can be supported by punishment in the final period. A player's incentive to deviate depends on the probability that a true signal emitted by the victim of his deviation will be received by other players: his potential future partners. Dixit finds the 'size of the trading world', an arc of the circle which shows the greatest distance possible between cooperating players, and beyond which they shirk – a similar concept to Fukuyama's (2001) 'radius of trust'. Dixit finds that honesty prevails in a small enough world, and self-enforcing honesty decreases as size increases. He also compares community enforcement to global enforcement with different-sized worlds.

In this paper, we modify Dixit's continuous model of community enforcement in order to apply it to a network setting with discrete players. To do so we need to specify the process by which information is transmitted within the network, using new probabilities of node-to-node information transmission that are based on *diffusion* (Banerjee et al., 2013, 2014),

³I am grateful to Birger Wernerfelt for suggesting this conceptual link.

⁴Nava and Piccione (2014) examine the case of local public goods, where a player takes the same action with respect to each of his neighbours, while Wolitzky (2013) finds a new centrality measure that can influence a player's robust maximum contribution to global public goods. Karlan et al. (2009), Breza and Chandrasekhar (2015) and Annen (2003) investigate the role of network links in supporting commitment in different settings.

where information flows through a limited number of links, each link with a decay factor that represents the probability that two neighbouring players in the information network pass a signal between them. In our model, the signal denotes a player’s ‘bad reputation’, which Kandori (1992) shows can ensure that a deviator will be punished by other members of the community. Players in our setting can fabricate or conceal signals, and one result of this paper is that unlike the models of Ahn and Suominen (2001); Bloch et al. (2014) and Annen (2011), our players but do not have incentives to do so.

There are many possible ways information can flow in networks (Borgatti, 2005) and myriad different information structures have been proposed. Balmaceda and Escobar (2013) and Raub and Weesie (1990) model information as flowing along one link in the network. Renault and Tomala (1998) and Wolitzky (2014) let information flow through all the links in a connected component, finding that the potential for cooperation depends on whether the network is 2-connected. Lippert and Spagnolo (2011) allow information to travel through network links with a delay, and highlight the importance of *gatekeeping* for cooperation, while in an alternative model with delay Kinateder (2008) finds the *diameter* of the network plays an important role. Bloch, Genicot and Ray (2008), Laclau (2014) and Larson (2017a,b) allow messages to be passed to a subset of players, while in a different setting, Gallo (2014) models information flow in a network as a random walk process. This paper is, we believe, the first to model probabilistic information flow in a network.⁵

The communication network in our model means that different players may have different beliefs about past play, depending on the signals they receive from each other through the network, and so our repeated game falls within the class of games of imperfect private monitoring (Kandori, 2002; Sekiguchi, 1997; Bhaskar and Obara, 2002; Chen, 2010). Like Dixit (2003b), our solution concept is perfect Bayesian equilibrium because our players use Bayesian updating when they receive signals through the network. Our probabilistic information flow of signals (not beliefs) allows for Bayesian updating, in contrast to behavioural approaches often used in networks.⁶

In common with much of the literature on cooperation, we model pairwise interactions between players where the stage game is the prisoners’ dilemma, as do Lippert and Spagnolo (2011), Ali and Miller (2013), Bloch, Genicot and Ray (2008) and Laclau (2012). In

⁵Fafchamps (2002) examines probabilistic information transmission for informal enforcement in an infinitely repeated game, but without an explicit network structure.

⁶Degroot (1974); Golub and Jackson (2012). In other settings, Hagenbach and Koessler (2010), Galeotti et al. (2013) and Acemoglu et al. (2014) also focus on transmission of signals in networks, using the cheap talk framework of Crawford and Sobel (1982).

those papers, a network of relationships determines *both* the interaction possibilities and the information flows between players. In contrast, we allow interactions and monitoring relationships to be unrelated to each other, since like Kandori (1992) and Ellison (1994), we have uniform random matching, which is independent across periods. This means that players can play the stage game with partners with whom they do not exchange information, as is the case for Fainmesser (2012) and Fainmesser and Goldberg (2012), although, different to them, our networks are common knowledge.⁷

There are two key cooperation-supporting punishment strategies seen most frequently in the literature: contagion, used by Kandori (1992), Ali and Miller (2013) and Jackson, Rodriguez-Barraquer and Tan (2012); and grim trigger or ostracism (sometimes with forgiveness) used by Ahn and Suominen (2001); Raub and Weesie (1990); Larson (2017a,b) and Ali and Miller (2016). In common with Dixit (2003b), we apply a different approach: a game of incomplete information and imperfect monitoring, where players behave cooperatively in order to avoid being mistaken for a *bad type* whom future partners would ostracise. The bad type means that this is a game of reputation (Samuelson and Mailath, 2006) where the punishment has the intuitively-appealing property of renegotiation-proofness (Farrell and Maskin, 1989; Benoit and Krishna, 1993; Jackson et al., 2012), and also allows us to pin down expectations off the equilibrium path. In our setting this entails a finitely repeated game (Benoit and Krishna, 1985), adding a different perspective to much of the literature where infinite repetition is used.⁸ This also means that information transmission takes place within a limited timeframe, for example if a market day is held once per week, information could only be transmitted between traders for six days, before the next interaction.

The outline of the paper is as follows. Section 2 describes the network connecting players and probabilities of information diffusion, and Section 3 describes the repeated game of cooperation. Section 4 describes the equilibrium of interest and the cooperation network. Section 5 shows how individual levels of trust, cooperation and payoffs depend on network position, and Section 6 concludes the paper.

⁷A more general version of the model uses pairwise matching probabilities, defining an *interaction network* that shows which pairs of players are likely to meet and play the stage game. This specification allows us to highlight the importance of two distinct aspects of enforcement: *monitoring* via the information network; and *sanctioning* via the matching probabilities (Ostrom, 1990; Sobel, 2002). It is available from the author upon request.

⁸This follows Dixit (2003b) and for example, with a longer time-frame, players may learn the network positions of the bad types, leading to an unravelling of their important role in the analysis.

2 The network and information transmission

2.1 The network

There are n players in $N = \{1, \dots, n\}$ who occupy the nodes of a fixed undirected unweighted network \mathbf{g} such that $\{i, j\} \in \mathbf{g}$ if i and j are neighbours. A walk of length a between two nodes i and j in network \mathbf{g} is a sequence of nodes $(i = x_0, x_1, \dots, x_{a-1}, x_a = j)$ such that for every $r \in \{1, 2, \dots, a\}$, we have that $\{x_{r-1}, x_r\} \in \mathbf{g}$. If the nodes are distinct, the sequence is a path, and if in addition $i = j$, it is a cycle. Let $\mathbf{G} = [g_{ij}]$ be the adjacency matrix of the network \mathbf{g} , where $g_{ij} = 1$ indicates that players i and j are neighbours so $\{i, j\} \in \mathbf{g}$, and $g_{ij} = 0$ otherwise (and $g_{ii} = 0 \ \forall i \in N$ by convention). The network \mathbf{G} is common knowledge; all players know each other's network positions. Let $\mathcal{N}_i = \{j : g_{ij} = 1\}$ be the set of player i 's neighbours and $|\mathcal{N}_i|$ be i 's degree.

As usual, $d_{ij}(\mathbf{G})$ is the length of the shortest path between two players i and j in the network \mathbf{G} , which is known as the *social distance*. Let $D_{\mathbf{G}} = \max\{d_{ij}(\mathbf{G})\}$ be the diameter of the network \mathbf{G} : the length of the longest shortest path. Two players are *connected* if there exists a path of finite length between them, and a network is connected if all players are connected to each other. If \mathbf{G} is not connected, its diameter is infinite. Let \mathbf{G}_{-k} be the adjacency matrix of the network when player k is disconnected: the $n \times n$ adjacency matrix created when all the entries in the k th row and column of \mathbf{G} are set to zero; that is, k remains in the network but is isolated as a singleton. If \mathbf{G}_{-k} is connected then the network is *2-connected with respect to k* ; the network is *2-connected* if it is 2-connected with respect to all players.

2.2 Information transmission in the network

There are many different ways that information can flow in networks, depending on the nature of the information and the updating approach used by individuals (Borgatti, 2005). While Bayesian updating is the standard approach in complete networks, for arbitrary networks the inferences become rather complex, and behavioural approaches are often used.⁹ We tackle this complexity by focusing on the transmission of signals, rather than beliefs.¹⁰

⁹Degroot (1974); Golub and Jackson (2012); Mueller-Frank and Neri (2015); Goyal (2016); Levy and Razin (2014).

¹⁰In other settings, Hagenbach and Koessler (2010), Galeotti et al. (2013) and Acemoglu et al. (2014) also focus on transmission of signals in networks, using the cheap talk framework of Crawford and Sobel (1982).

In our model, information flows by *diffusion*, where a signal passes through each link in the network with a fixed probability p , up to a maximum number of links T . As defined by Banerjee, Chandrasekhar, Duflo and Jackson (2013), the parameter p denotes how likely players are to meet and/or exchange information with their neighbours, and T shows how many rounds of information transmission there are. For example, if $p = 1$ and $T = 1$, information is passed with certainty only to a player’s direct neighbours.

Definition 2.1. *Diffusion* (Banerjee et al., 2013) is a process whereby information flows through the network with adjacency matrix \mathbf{G} with probability $p \in (0, 1]$ along each link, up to a maximum T links. The probability of information flowing along each walk in the network is independent.¹¹ **Diffusion centrality** is given by $d_i = \left[\sum_{\tau=1}^T (p\mathbf{G})^\tau \mathbf{1} \right]_i$.

A player may receive the same signal along different walks in the network, and diffusion centrality is a sum of the probabilities that a signal is transmitted along each of those walks between nodes. As such, diffusion centrality measures the *expected total number of times* information is transmitted between nodes. It is important to note that this is not the same as the *probability that information is transmitted between nodes*, despite its use in empirical work as an approximation of such (Breza and Chandrasekhar, 2015; Fafchamps and Labonne, 2016; Cruz et al., 2017). The bilateral entries $d_{ij} = [(p\mathbf{G})^\tau]_{ij}$ are sums of probabilities and hence are not probabilities themselves, which is evident if they sum to more than one. This is because of double counting: with diffusion centrality, a signal is counted multiple times when it is transmitted along different walks in the network.¹²


This section develops a new closed-form expression for the probabilities of node-to-node information transmission by diffusion, using De Morgan’s laws to remove the problem of double counting. This means that we can describe *whether or not* a signal is received along these different walks, allowing for Bayesian updating in networks.¹³

¹¹As pointed out by Bramoullé and Genicot (2018), this independence is implicitly assumed by Banerjee et al. (2013) and implies that players pass on each signal they receive independently of whether or not they receive any other signals.

¹²This problem is related to but distinct from correlation neglect, where players observe the same signal more than once through different walks in the network and erroneously treat each report as a distinct signal.

¹³In parallel work, Ambrus, Chandrasekhar and Elliott (2014) and Bramoullé and Genicot (2018) use the inclusion-exclusion principle to tackle the problem of double counting. In contrast to our simple formula, these approaches are computationally hard.

Figure 1: An example network of information transmission



2.3 Diffusion probabilities

Let Ω denote the information structure of the network such that $\Omega = \{p, T, \mathbf{G}\}$. Let $s_i \in \{\{1\}, \emptyset\}$ be the signal emitted by node i , and $\rho_j \in \{\{1\}, \emptyset\}$ be the signal received by node j , and $w_{ij}(\Omega)$ be the probability that a signal emitted by i will reach j by diffusion:

$$\Pr[\rho_j = 1 \mid s_i] = \begin{cases} w_{ij}(\Omega) & \text{if } s_i = 1 \\ 0 & \text{if } s_i = \emptyset \end{cases} \quad \forall i, j \in N.$$

We need a way to account for the fact that a pair of players may be connected to each other by several walks in the network and as such, may transmit a signal via more than one of these walks. Take for example the network in Figure 1, where we would like to find w_{14} , the probability that a signal emitted by node 1 will be received by node 4. Let us set $T = 2$. There are two walks of length $\leq T$ along which a signal could pass from 1 to 4: those via nodes 2 and 3. Each are of length 2, so a signal can pass along each of them with probability p^2 . Adding these two probabilities together would give the bilateral entry of diffusion centrality: $d_{14} = p^2 + p^2$. But this does not give the probability that 4 hears a signal from 1, because we need to take account of the fact that the signal could travel along *both* walks. This happens with probability p^4 , because the probability of information flowing along each of these walks is independent. So we find that $w_{14} = p^2 + p^2 - p^4$.

For a more general formula, we can invoke De Morgan's laws of duality. One of De Morgan's laws states that for a family of sets $\mathbb{A} = \{A_i; i \in I\}$ in the universal set X , where I is some index set, we have that $\sim (\cup_{i \in I} A_i) = \cap_{i \in I} (\sim A_i)$.¹⁴ This means that the complement of $w_{ij}(\Omega)$ is given by the probability that j does *not* hear a signal from i along *any* of the walks that connect i and j in \mathbf{G} . In other words, for a signal *not* to travel from i to j , we need a signal *not* to travel along every possible walk that connects i to j in \mathbf{G} , of length $\leq T$. For the example above, we can use De Morgan's laws to directly obtain the same result, giving $1 - w_{14} = (1 - p^2)(1 - p^2)$. More generally, we know that for each walk of length τ , the probability that the signal does not travel along all the links in that walk by diffusion is $1 - p^\tau$.

Definition 2.2. *Diffusion probability* given by $w_{ij}(\Omega)$ is the probability that a signal passes from i to j by diffusion, given in Definition 2.1,. For any Ω , we have that

$$w_{ij}(\Omega) = 1 - \prod_{\tau=1}^T [1 - p^\tau]^{l_{ij}(\tau, \mathbf{G})}.$$

Where $l_{ij}(\tau, \mathbf{G}) = [\mathbf{G}^\tau]_{ij}$ is the number of walks between i and j of length τ in the network \mathbf{G} . This result applies $\forall i \neq j \in N$, while $w_{ii}(\Omega) = 1$.

We have assumed that \mathbf{G} is symmetric, which means that ingoing and outgoing probabilities are identical. This could be easily modified for a directed network. Let us say that players can *communicate* if there is a positive probability that a signal sent by one of them will be received by the other. Let us also say that a network is *informative* if every pair of players in the network can communicate, that is $w_{ij}(\Omega) > 0 \quad \forall i, j \in N$.

2.3.1 Independence

Definition 2.2 only holds if information flows by diffusion as described in Definition 2.1; in particular, if the assumption holds that the probability of a signal travelling along each walk in the network is independent. Let us take this opportunity to reflect on the independence assumption.¹⁵ Consider the network in Figure 1, with node 6 disconnected and $T = 3$, and w_{45} , the probability that a signal emitted by node 4 is received by node 5. There are two walks

¹⁴With two events and in logic notation, this law can be written as $\neg(A \cup B) = \neg A \cap \neg B$. See Fuente (2000).

¹⁵Bramoullé and Genicot (2018) further examine this independence assumption.

of length 3 between them: $\{4, 2, 1, 5\}$ and $\{4, 3, 1, 5\}$. With the independence assumption, the two walks can be treated independently, so we have that $w_{45} = 1 - (1 - p^3)(1 - p^3) = 2p^3 - p^6$.

We can see that node 1 could receive the signal from 4 through two walks, either via nodes 2 or 3. With independence, he would treat these two signals separately. But a more accurate specification might be that there would only be one opportunity for 1 to pass this signal to 5 or not. In this case, $w_{45} = pw_{41} = p(1 - (1 - p^2)(1 - p^2)) = 2p^3 - p^5$. This result can also be found as the probability that the 3 links in each walk are activated separately, minus the probability that all 5 links in both walks are activated. This would be the kind of result generated by Banerjee et al. (2013)'s algorithm of communication centrality. This example shows that there is a small loss in precision due to the independence assumption. Arguably, this is offset by an easier and quicker computation of the diffusion probabilities as an approximation of this communication mechanism.

2.3.2 The information structure

The three aspects of the information structure Ω affect the diffusion probabilities as follows.

Proposition 2.1. *There are complementarities between the three aspects of the information structure Ω for the diffusion probabilities given in Definition 2.2. In particular, it holds that*

1. $w_{ij}(\Omega)$ is increasing in p if and only if $\exists \tau \leq T$ such that $l_{ij}(\tau, \mathbf{G}) \geq 1$;
2. $w_{ij}(\Omega)$ increases as T increases to $T + 1$ if and only if $l_{ij}(T + 1, \mathbf{G}) \geq 1$; and
3. $w_{ij}(\Omega)$ increases as a link is added to \mathbf{G} if and only if the new link leads to an increase in $l_{ij}(\tau, \mathbf{G})$ for any $\tau \leq T$

An increase in p or T or an additional link in \mathbf{G} cannot lead to a decrease in any diffusion probabilities.

Proof. See Appendix. ■

Proposition 2.1 shows that, as would be expected, a network with more links, greater probability of players transmitting messages to their neighbours, and more rounds for information to travel, could have higher probabilities of information transmission.

2.4 Word-of-mouth centrality

We can also construct a centrality measure using these diffusion probabilities. We use the term *word-of-mouth*, capturing the intuitive concept whereby information travels within a community via conversations between players and their connections (Ahn and Suominen, 2001; Lippert and Spagnolo, 2011).

Definition 2.3. *Word-of-mouth centrality* is the average probability of information transmission by diffusion for each player in a network and is given by

$$w_i(\boldsymbol{\Omega}) = \frac{1}{n-1} \sum_{j \neq i} w_{ij}(\boldsymbol{\Omega}) \quad \forall i \in N.$$

There are several related measures of centrality, in particular diffusion centrality and communication centrality (Banerjee et al., 2013, 2014), Bonacich centrality (Bonacich, 1987), information centrality (Stephenson and Zelen, 1989), random walk closeness centrality (Noh and Rieger, 2004), cascade centrality (Teytelboym et al., 2015), and percolation centrality (Moore and Newman, 2000; Piraveenan et al., 2013) in the epidemiological literature. As far as we are aware, no measure uses probabilities of information travelling by diffusion between two nodes. Empirical comparisons — both cardinal and ordinal — between diffusion centrality and word-of-mouth centrality are given in Appendix A.

The rest of the paper presents an application of these probabilities of information transmission, in a network cooperation game which requires Bayesian updating.

3 The cooperation game

There are $n \in N$ players who play a repeated game of cooperation with three periods: $t \in \{1, 2, 3\}$, where $n > 2$ and even. In periods 1 and 3, players are matched in pairs and play the stage game. In period 2, signals travel stochastically through the network by diffusion according to Definition 2.1 and information structure $\boldsymbol{\Omega} = \{p, T, \mathbf{G}\}$. This means there are T sub-periods (or rounds) of information transmission within period 2, and signals may or may not be received by other players. Hence the cooperation game has imperfect private monitoring (Piccione, 2002; Fong et al., 2011).

The stage game is the prisoners' dilemma with exit (Benoit and Krishna, 1985), augmented by an additional 'dangerous' action B_i , which is very damaging for a player's partner: e.g. 'steal everything'. The action space for each player $i \in N$ is $A_i = \{C_i, D_i, O_i, B_i\}$

where C_i is cooperation and D_i is defection, O_i is exit and B_i is the dangerous action. Table 1 shows how payoffs depend on actions.

| | $C_{\mu_i^t}$ | D_j | O_j | B_j |
|-------|---------------|----------|---------|----------|
| C_i | 1 | $-\beta$ | 0 | $-\beta$ |
| D_i | α | σ | 0 | $-\beta$ |
| O_i | 0 | 0 | 0 | 0 |
| B_i | x_i | x_i | $x_i/2$ | x_i |

Table 1: The stage game between i and j . Payoffs are symmetric, and the entries denote player i 's payoffs.

There are two types of player in the set $\Xi = \{\text{S-type, B-type}\}$. Most of the players are strategic or ‘S-type’; but there are a few bad apples — ‘B-types’ — who lurk in the population. This is a game of incomplete information as players do not observe each other’s types — as well as imperfect monitoring as mentioned above. The bad type is included in the game in order to make punishment renegotiation-proof (Samuelson and Mailath, 2006), and to pin down expectations off the equilibrium path (Dixit, 2003b). These bad or ‘inept’ types are sometimes called *commitment types* because they are committed to a certain action. In our case, we use a simple specification for the payoffs of the bad type.

We assume that $x_i = -x$ for S-types and $x_i = x$ for B-types, and that $x > \{\beta, \alpha\} > 1 > \sigma > 0$ and $2 > \alpha - \beta$. This implies that the dangerous action B_i is strictly dominant for a B-type and strictly dominated for the S-type. In turn, these assumptions mean that the stage game between two S-types is the usual prisoners’ dilemma with exit, which has two Nash equilibria in pure strategies: mutual defection (D_i, D_j) or mutual exit (O_i, O_j). For a game between an S-type player i and a B-type, the only Nash equilibrium is (O_i, B_j).

The proportion of B-types in the population is ϕ , which is common knowledge. We assume that ϕ is low enough that an S-type player will not want to exit against an unknown player, that is, that

$$\sigma(1 - \phi) - \beta\phi \geq 0. \tag{3.1}$$

Let μ_i^t denote player i 's partner in periods $t \in \{1, 3\}$, and μ^t list the partnerships in each period, with $\mu = (\mu^1, \mu^3)$. Players know the identity of their own partner, but not who anyone else has matched with (as in Kandori (1992)). Players match in pairs according to

uniform random matching¹⁶ where

$$\Pr\{\mu_i^t = j\} = \frac{1}{n-1} = \Pr\{\mu_j^t = i\} \quad \forall i, j \in N \text{ and } \forall t \in \{1, 3\} \quad (3.2)$$

3.1 Information in the game

A player k gets a bad reputation (Kandori, 1992), $r^k = 1$, if and only if their partner in period 1 received a negative stage payoff.¹⁷

$$r^k = 1 \iff U_{\mu_k^1}^1 < 0 \quad (3.3)$$

Otherwise, they have $r^k = 0$. So a B-type player will always get a bad reputation, as will an S-type player who defected against a cooperating partner.

$$\Pr[r^k = 1 \mid \{k \text{ is B-type}\}, \mu_k^1 \neq k] = 1 \quad (3.4)$$

$$\Pr[r^k = 1 \mid \{k \text{ is S-type}\}, \mu_k^1 \neq k, D_k, C_{\mu_k^1} \in a^1] = 1 \quad (3.5)$$

Any player i who was ‘harmed’ by their first-period partner k automatically¹⁸ sends a signal about their partner k ’s bad reputation, given by $s_i(k) = 1$. That is,

$$r^k = 1 \text{ and } \mu_k^1 = i \implies s_i(k) = 1 \quad \forall i, k \in N. \quad (3.6)$$

In our model, signals are distinguished only by their subject — the identity of the player whose bad reputation is being transmitted. The possibility of obstruction or fabrication provides an action space for the players in period 2 of our cooperation game. There are T rounds (or sub-periods) of information transmission within period 2. Players decide whether or not to pass on signals about each of the players, and whether or not to fabricate signals, in each of the rounds of information transmission. As such the action space for each player

¹⁶Dixit (2003b) has different matching probabilities and payoffs that depend on the network. Different payoffs with different partners which could reflect, for example, complementarities in production with players who have different skills or resources. These complementarities could be greater with players who are at greater social distance. A more general version of the model with these additions is available from the author.

¹⁷Samuelson and Mailath (2006) show how this separating equilibrium with a bad type is one alternative for reputational games; the other is a pooling equilibrium with a ‘good type’. See Appendix C.1 for this alternative in our model. Spence (1973) and Breza and Chandrasekhar (2015) use a specification of the reputation model where both good and bad signals are emitted.

¹⁸This automation is not necessary for later results, it is simply for ease of exposition.

in period 2 is given by $\Psi = \prod_{k \in N, \tau \leq T} \{\{\text{pass on signals about player } k \text{ in round } \tau, \text{ do not}\}, \{\text{fabricate signals about player } k \text{ in round } \tau, \text{ do not}\}\}$.

Let $\rho_j(k) \in \{\{1\}, \emptyset\}$ be the signal that j receives about k . At the end of the information transmission period, $\rho_j = (\rho_j(k))_{k \in N}$ is player j 's overall 'network signal'. Player i 's history (information set) is empty in period 1, and for periods 2 and 3 is given by $h_i^2 = (\mu_i^1, r^i, r^{\mu_i^1})$ and $h_i^3 = (\mu_i^1, r^i, r^{\mu_i^1}, \rho_i)$. That is, at the beginning of period 3 he knows his own and his period 1 partner's reputations, and could also receive a network signal about the reputation of any other player (whom he may or may not match with in period 3).

Let $a_i^t \in A_i$ be i 's action in the stage game in period $t \in \{1, 3\}$, and let a^t list the actions in period t . Let $\psi_i \in \Psi$ be i 's action in period 2. Let $c_i = (a_i^1, \psi_i, a_i^3)$ be player i 's pure strategy in the repeated game where $c_i \in C_i = \{\{a_i^1, \psi_i, a_i^3\} \mid a_i^1 : \mu_i^1 \rightarrow A_i, \psi_i : h_i^2 \rightarrow \Psi, a_i^3 : \{\mu_i^3, h_i^3\} \rightarrow A_i\}$. Let the pure strategy space be $C = \prod_{i \in N} C_i$ and $c = (c_i)_{i \in N}$ be a pure strategy profile of the repeated game.

A player's payoff in each period of the stage game depends only on his own action and that of his partner, and is given by $U_i(a_i^t, a_{\mu_i^t}^t)$ for periods $t \in \{1, 3\}$. Actions in period 2 have no direct payoffs. Players are risk-neutral von Neumann-Morgenstern expected utility maximisers, with expected utility function $u_i(\cdot)$. Given players' common discount factor $\delta \in (0, 1]$, payoffs in the repeated game with strategy profile c and realised matches μ are given by

$$u_i(c, \mu) = U_i(a_i^1, a_{\mu_i^1}^1) + \delta U_i(a_i^3, a_{\mu_i^3}^3). \quad (3.7)$$

The repeated game is defined as the tuple:

$$F \equiv (N, C, (u_i)_{i \in N}, \Xi, \phi, \Omega).$$

3.2 Timing of the game

In summary, the order of the game is as follows:

Period 1

- Players are randomly matched for period 1: μ^1 is chosen.
- Players choose actions a^1 and receive payoffs.
- Players' reputations are updated, given their partner's payoffs. Each player i observes his own and his partner's reputations $r^i, r^{\mu_i^1}$ with certainty.

- For any player i with $r^i = 1$, a signal is emitted by his partner, $s_{\mu_i^1}(i) = 1$.

Period 2

- Information travels between players in T rounds of stochastic information diffusion; players choose whether to pass on, conceal or fabricate signals.

Period 3

- Players observe a network signal ρ_i .
- Players are randomly matched for period 3: μ^3 is chosen.
- Players choose actions. a^3 and receive payoffs.

4 Equilibrium

We expect there to be many equilibria of this game; like Dixit (2003b), we focus only on our equilibrium of interest, where cooperation in period 1 can be supported by community enforcement in period 3. At this equilibrium, actions may not be symmetric — in period 1 some players may be cooperating while others may not — but all players use the same decision rule for their action choice, a rule that is based on the expected probability of punishment. We are particularly interested in how many players cooperate at this equilibrium, and which ones they are with respect to their network position.

This equilibrium has the following structure. In period 1, depending on the network and other parameters of the game, pairs of S-type players coordinate on either mutual cooperation or mutual defection. B-type players choose the dangerous action in both periods. In period 3, almost all S-type players defect, except those who have heard a signal about their current partner. In this case they believe he is a B-type, and choose exit to protect themselves from harm. Hence, if an S-type player deviates by defecting against a cooperating partner in period 1, he knows that any player he is matched with in period 3 — if they find out about his deviation — will choose exit against him, not defection. According to Table 1, mutual defection gives a strictly positive payoff and exit gives a zero payoff to both players, so a player could lose out on positive period 3 payoffs if he deviates in period 1. This expected loss — this punishment — can sustain cooperation.

To construct this equilibrium, we proceed by backward induction and examine only the payoffs and decisions of the S-type players. To simplify the notation in this section, let player i 's partner in period 1 be player $j = \mu_i^1$, and his partner in period 3 be player $k = \mu_i^3$.

4.1 Periods 2 and 3

In period 3 each player knows his own reputation and that of his period 1 partner, r^i and r^j ; and his network signal ρ_i , but he does not know who anyone else matched with or what transpired in those matches. There are two general possibilities for player i 's history in period 3. If he met another S-type in period 1, he has history $(j, r^i = 0, r^j = 0, \cdot)$ since neither of them deviated. Alternatively i met a B-type in period 1 and has history $(j, r^i = 0, r^j = 1, \cdot)$, since he received a negative payoff at the hands of his partner.

In the conjectured equilibrium, if a player hears a signal about another player, he believes him to be a B-type with probability one. This means that we can combine (3.5) and (3.6) to give

$$\Pr[\{k \text{ is B-type}\} \mid \rho_i(k) = 1] = 1. \quad (4.1)$$

Remark 4.1. *The S-type player's equilibrium strategy for period 3 is that he exits if and only if he believes for sure that his partner is a B-type: either having heard a signal about him or having matched with him in the previous period. Otherwise, he defects.*

Proof. Clearly, from Table 1, if i believes k is a B-type, his only rational action is to choose exit. If i has not heard a signal, the exogenous probability¹⁹ that his partner is a B-type is ϕ . By (3.1), this possibility of meeting a B-type is low enough that expected payoffs from choosing defection are positive. ■

4.1.1 Period 2

In the second round of the game, information is transmitted. Players can pass on reputation signals, or can choose to obstruct/conceal or fabricate them, all costlessly. We can now observe the following.

Proposition 4.1. *Assume players' equilibrium strategies in period 3 are as given in Remark 4.1: {exit if you received a signal about your partner, otherwise defect} and signals flow in*

¹⁹In fact, player i 's subjective updated expected probability of each partner k being a B-type could be lower than ϕ , and depends on the network probabilities of information transmission, given in the next Section. See Appendix C.3.

period 2 through the network by diffusion given in Definition 2.1. If a player is the subject of a signal, they strictly prefer to conceal it in all rounds of information transmission. If the signal is about someone else, players weakly prefer pass it on. All players weakly prefer not to fabricate signals.

Proof. See Appendix. ■

In order to characterise the equilibrium, we need to calculate the probabilities of information transmission in the network, given that certain nodes will conceal certain messages. In particular, we want to find a general form of $p_{ij}(k, \Omega)$, the *obstructed diffusion probability* that a signal about player k 's deviation, emitted by player i , will be received by player j .

$$\Pr[\rho_j(k) = 1 \mid s_i(k)] = \begin{cases} p_{ij}(k) & \text{if } s_i(k) = 1 \\ 0 & \text{if } s_i(k) = \emptyset \end{cases} \quad \forall i, j, k \in N \quad (4.2)$$

From Remark 4.1, we know that a player k , and only k , will obstruct this signal. This means we can modify the probabilities given in Section 2 to take account of obstruction, by using the network \mathbf{G}_{-k} , where k is present in the network but disconnected from his neighbours, instead of \mathbf{G} to calculate the number of walks.²⁰

Definition 4.1. *Obstructed diffusion probability* given by $p_{ij}(k, \Omega)$ is the probability that a signal passes from i to j by obstructed diffusion given in Definition 2.1, when the signal is obstructed by k . For any Ω , we have that

$$\begin{aligned} p_{ij}(k, \Omega) &= \Pr[\rho_j(k) = 1 \mid s_i(k) = 1] \\ &= 1 - \prod_{\tau=1}^T [1 - p^\tau]^{l_{ij}(\tau, \mathbf{G}_{-k})}. \end{aligned}$$

Where $l_{ij}(\tau, \mathbf{G}_{-k}) = [\mathbf{G}_{-k}^\tau]_{ij}$ is the number of walks between i and j of length τ in the network \mathbf{G}_{-k} . This result applies $\forall i \neq j, k \in N$, while $p_{ii}(k, \Omega) = 1$.

²⁰Recall that \mathbf{G}_{-k} is the $n \times n$ matrix \mathbf{G} with the k th row and column set to zero, because player k is still present in the network, but will not transmit signals about himself by Proposition 4.1. The same approach could be used for more complex obstruction patterns, shown in Appendix C.2. An alternative (and more computationally onerous) approach to this question is given by Bramoullé and Genicot (2018), who call it the no retransmission problem.

Proposition 2.1, which describes the effects of the information structure Ω on diffusion probabilities, also applies to the case with obstruction, if we replace \mathbf{G} with \mathbf{G}_{-k} . Since \mathbf{G} has weakly more links than \mathbf{G}_{-k} , from Proposition 2.1, we have that $w_{ij}(\Omega) \geq p_{ij}(k, \Omega) \forall i, j, k$.

4.1.2 Payoffs and centrality

Given this equilibrium strategy, we can now identify the payoffs in period 3.

Proposition 4.2. *Let $V_i^j(k)$ be the period 3 expected payoffs in the repeated game F for an S-type player i who met player j , in period 1, did not deviate, and then meets player $k \neq j, i$ in period 3. Period 3 payoffs are*

$$V_i^j(k) = \sigma(1 - \phi) - \beta\phi(1 - Q_i^j(k)). \quad (4.3)$$

Where $Q_i^j(k)$ is the conditional probability that an S-type i , having met another S-type j in period 1, hears a signal about a deviation by player k , if k is a B-type. If i meets the same player $j \neq i$ in both periods 1 and 3, payoffs are $V_i^j(j) = \sigma$ if j was an S-type, and zero if j was a B-type (since i already knows j 's type from meeting him in period 1).

Proof. for $V_i^j(k)$ with $k \notin \{i, j\}$, there are two possibilities: either k is a B-type, or he is an S-type. With probability $1 - \phi$, k is an S-type, and payoffs are σ as the equilibrium strategy requires both players to defect. With probability ϕ , k is a B-type, and player i 's strategy depends on whether he has heard a signal about him, given by $Q_i^j(k)$. If i has heard, he will choose exit with payoff 0. If he has not heard, he will choose defection with payoff $-\beta$. ■

Proposition 4.2 shows how players benefit from being **trusting**: if there is a higher probability that they receive a signal about a bad reputation, their expected payoffs are increased, because they are more likely to have heard if their partner is a B-type and hence choose exit against him and protect themselves. This is the period of the game where payoffs depend on a player's ability to detect *types*. Here payoffs are increased when a player is more likely to receive signals.

An interesting centrality measure is players' *obstructed centrality*, which describes the average probability that a player will receive a signal about another player's deviation, given that the deviator will try to obstruct the signal about his bad reputation.

Definition 4.2. Obstructed centrality $P_i(\Omega)$ is the average probability a player will receive signals sent by others, when that signal is obstructed by any of the other nodes in the

network:

$$P_i(\Omega) = \frac{1}{(n-1)^2} \sum_{k \neq i} \sum_{j \neq i} p_{ij}(k, \Omega).$$

Proposition 4.3. *Period 3 expected payoffs are increasing in obstructed centrality $P_i(\Omega)$, given in Definition 4.2.*

Proof. See Appendix ■

This centrality measure is linked to period 3 payoffs because it shows how a player’s network position affects the average probability that they receive signals via the network. It shows, on average, how *trusting* they are — that is, how easily they can receive signals from the network about other players.

While we have observed that the B-type will not pass on information about himself, a player cannot infer anything about his neighbour’s type just because he does not receive any signal from him. This is due to the stochastic nature of information transmission.²¹

4.2 Period 1

In this section, we complete our characterisation of the equilibrium by examining conditions under which we can expect cooperation in Period 1. In our equilibrium of interest, each potential pair of S-types will coordinate on either mutual cooperation or mutual defection, depending on their network positions and other parameters of the model. In this subsection, we identify the particular threshold that players use to decide whether they will cooperate or defect in their matched pair. As we will show, it depends on the size of the expected losses that either player could face if they deviated and hence risked punishment. If the expected losses of both partners are high enough, they both cooperate. If the losses of one or both partners is too low, the risk of punishment is not great enough to deter deviation, and the partners will coordinate on mutual defection.

²¹However, a player can use the structure of the network to update his beliefs about the likelihood of his period-3 partner being a B-type, given that he did not hear a signal about him. This depends on the network links between his partner’s possible period 1 matches and himself and is given in Appendix C.3. But these beliefs would not change his behaviour due to (3.1): he would only choose exit against a certain B-type.

Consider the case where player i expects his period 1 partner j to cooperate. If i defects and j cooperates, j will get a negative payoff and send a signal about it, and any S-type player who receives that signal will exit if they are matched with i in period 3.²²

Let $V_i^j = \frac{1}{n-1} \sum_{k \neq i} V_i^j(k)$ be i 's expected period 3 payoffs over all possible partners k , given that i met j , another S-type, in period 1. Now we can write player i 's overall expected payoffs from either cooperating or defecting when his S-type partner j cooperates.²³

$$v_i(C_i^1, C_j^1) = 1 + \delta V_i^j \quad (4.4)$$

$$v_i(D_i^1, C_j^1) = \alpha + \frac{\delta}{n-1} \sum_{k \neq i} [\sigma(1-\phi)(1-p_{jk}(i)) - \beta\phi(1-Q_i^j(k))] \quad (4.5)$$

$$= \alpha + \delta V_i^j - \frac{\delta\sigma(1-\phi)}{n-1} \sum_{k \neq i} p_{jk}(i) \quad (4.6)$$

As shown in (4.6), the expected losses that i incurs if he defects against his partner j , who he expects to cooperate, are $\delta\sigma(1-\phi)\frac{1}{n-1} \sum_{k \neq i} p_{jk}(i)$, which is broken down as follows.

- The payoff from mutual defection in period 3 is σ (the ‘reward’ for cooperation);
- He will only be punished if his future partner is an S-type, which happens with probability $(1-\phi)$;
- Punishment occurs if a signal emitted by j about i reaches his potential future partners $k \in N \setminus i$, the probability of which is given by $p_{jk}(i)$. This is weighted by $\frac{1}{n-1}$, the probability of the match;
- This is summed over all $k \neq i$ potential matches.
- Meanwhile if he matches with j again, payoffs are also zero as j knows for sure about his deviation because $p_{jj}(i) = 1$.

Cooperation requires $v_i(C_i^1, C_j^1) \geq v_i(D_i^1, C_j^1)$. We can rearrange (4.4) and (4.6) to find that cooperation for i , when matched with a partner j who he expects to cooperate, requires

²²Note that meeting a B-type in period 1 does not impact a player’s incentive for cooperation, because he cannot impose a negative payoff on a B-type, and hence cannot get a bad reputation from deviating against him. Hence we can exclude the possibility of meeting a B-type in period 1 from our study of the equilibrium incentives for cooperation. In this case his payoffs are $-\beta + \frac{1}{n-1} \sum_{k \neq i, j} V_i^j(k)$, which enters the expression for overall payoffs given later in Proposition 4.6.

²³By (3.1), players will not exit against an unknown player in period 1: they either cooperate or defect.

expected losses L_i^j from deviation to be above a threshold L^* , where

$$L_i^j \equiv \frac{\delta\sigma(1-\phi)}{n-1} \sum_{k \neq i} p_{jk}(i) \geq \frac{\alpha-1}{\delta} \equiv L^*. \quad (4.7)$$

We can say that if $L_i^j \geq L^*$, then player i is **trusted** by player j . This is because player i has an incentive such that if he expects player j to cooperate, player i will also cooperate. We can observe that a player's propensity to cooperate is weakly *increasing in his own losses*. Higher expected losses from a deviation are to a player's advantage because they give him an incentive to be honest. If losses are high enough, he is more likely to be trusted, and therefore more likely to take part in cooperation, with higher payoffs.

In particular, i 's expected losses from defecting against j are strictly increasing in the probabilities that j can inform other players — i 's potential future matches — about a deviation by i . Player i is more willing to cooperate with j , if j is better able to inform other players about i 's bad behaviour. This implies that it is better for incentive-based trust if players can talk about each other.²⁴ The extent to which they can depends on the network structure and in fact, because of obstruction, on the network structure that remains when any given node is disconnected. This is because it is not incentive compatible to pass on a signal about one's own deviation, and players are unable to commit to do so, and so they have to rely on others to do so, incentivising a potential deviator with their threat of gossip.

Another centrality measure is players' *obstructing centrality*, which describes the average probability that other players can communicate, if that player obstructs all their signals.

Definition 4.3. A node's **obstructing centrality** $O_k(\Omega)$ is the average probability other players can communicate if node k obstructs the signals they send:

$$O_k(\Omega) = \frac{1}{(n-1)^2} \sum_{i \neq k} \sum_{j \neq i} p_{ij}(k, \Omega).$$

Proposition 4.4. In period 1, whether players are trusted or not is linked to their obstructing centrality given in Definition 4.3.

Proof. We can rearrange (4.7) to give the following threshold requirement

$$\frac{1}{n-1} \sum_{k \neq i} p_{jk}(i) \geq \frac{(\alpha-1)}{\delta\sigma(1-\phi)}. \quad (4.8)$$

²⁴Larson (2017a) finds a similar result in a different setting.

Taking the average expected loss over all potential period 1 partners j ,

$$\frac{1}{(n-1)^2} \sum_{j \neq i} \sum_{k \neq i} p_{jk}(i) \geq \frac{(\alpha-1)}{\delta\sigma(1-\phi)}. \quad (4.9)$$

Which we can observe is the same as obstructing centrality. ■

This shows us that the extent to which a player is *trusted* depends on their *obstructing centrality* — that is, how easily other players can communicate about them, when they cannot commit to pass information on about themselves.

The probability of detection and punishment play the key role in this period of the model. When the probability of punishment matters, a player wants others to be able to communicate about him, encouraging him to cooperate. In contrast, in period 3, players want to be able to communicate about others, in order to get information who may harm them.

4.3 Equilibrium

We have noted that if a player's expected losses are less than L^* , he would defect. But if one player in a pair is tempted to defect, knowing this, their partner will defect too, even if their losses would otherwise be high enough to deter a deviation. So we need *both* partners in a pair to have high enough expected losses for cooperation to occur: they must both be trusted by each other. Otherwise, they both defect, coordinating on a Nash equilibrium of the one-shot game and both avoiding the bad reputation.²⁵

Proposition 4.5. *A perfect Bayesian equilibrium in the repeated game F for all S -type players $i \in N$ is given by the following equilibrium strategy:*

Period 1 *Player i cooperates with his partner j if and only if his expected losses from deviation are above a threshold value, that is $L_i^i \geq L^*$, and this is also the case for his partner so that $L_j^i \geq L^*$. Otherwise, he defects.*

Period 2 *Player i passes on signals about other players $k \neq i$, but does not pass on signals about himself.*

²⁵It would be possible to apply this model to a one-sided trust game rather than a two-sided cooperation (prisoners' dilemma) game, and from that build a directed trust network that shows which players would trust each other in the one-sided game.

Period 3 *Player i exits against his partner k if and only if he believes that he is a B-type: either having heard a signal about him or having matched with him in the previous period. Otherwise, he defects.*

Proof. For Period 1, if $L_i^j \geq L^*$ and i expects j to cooperate, then i will also cooperate due to (4.7). Similarly if $L_j^i \geq L^*$, and j expects i to cooperate, j will also cooperate. In contrast, if $L_i^j \geq L^*$ but i expects j to defect (which he would if $L_j^i < L^*$), then i will also defect because $\sigma > -\beta$. Equally if $L_j^i \geq L^*$ but $L_i^j < L^*$, both players defect. They also both defect if $L_i^j < L^*$ and $L_j^i < L^*$. Hence both players in a pair will cooperate if and only if both players have losses above the threshold. For periods 2 and 3, see Proposition 4.1 and Remark 4.1. ■

If there were no B-types, this equilibrium would be subgame perfect Nash equilibrium (Benoit and Krishna, 1985), but the B-types ensure that the punishment is renegotiation-proof.²⁶ The equilibrium concept is perfect Bayesian equilibrium, because players update their beliefs about their partner’s type according to the signal(s) they receive and Bayes’ rule. That is, if there is a unilateral deviation and another player hears about it, he believes the deviator is a B-type, because he does not expect an S-type to deviate. Hence the B-types also allow us to pin down expectations off the equilibrium path.²⁷

4.3.1 Welfare and the cooperation network

These equilibrium conditions mean that for any parameters of the model, we can find out which players can cooperate with each other, and which ones cannot. We list these cooperative pairs as the *cooperation network*, \mathbf{G}^c , which is endogenous to the information network \mathbf{G} and the other parameters. Individual payoffs in period 1 depend on the number of cooperative relationships each player has: that is, their degree (number of neighbours) in the cooperation network. Hence welfare depends on the ‘size of the trading world’ (Dixit, 2003b) — which in our network case refers the number of edges in \mathbf{G}^c .

²⁶An equilibrium strategy is renegotiation-proof when a Pareto-dominating Nash equilibrium of the stage game does not exist (Farrell and Maskin, 1989; Benoit and Krishna, 1993; Jackson et al., 2012). In our case, players believe any deviator is a B-type, and so the optimal action is exit. If instead, players faced a deviator who was a known S-type, it would be in both players’ interests to forgo punishment and switch to the alternative — and Pareto-dominating — Nash equilibrium of mutual defection.

²⁷Without the B-types, players would not expect anyone to deviate. In this case, if they did hear about a deviation, their beliefs are not clearly specified.

Proposition 4.6. *The cooperation network $G^c = [g_{ij}^c]_{ij}$ is given by*

$$g_{ij}^c = g_{ji}^c = \begin{cases} 1, & \text{if } L_i^j \geq L^* \text{ and } L_j^i \geq L^* \\ 0, & \text{otherwise} \end{cases}.$$

and overall expected payoffs in the repeated game F are given by

$$v_i = \frac{1}{n-1} \sum_{j \neq i} [(1-\phi)(g_{ij}^c + (1-g_{ij}^c)\sigma) - \phi\beta + \delta V_i^j].$$

Proof. This follows from (4.3) and (4.4). ■

Using this result, we can identify a link between information and cooperation in our model.

Proposition 4.7. *Trust, cooperation and welfare are weakly increasing in the probabilities of information transmission.*

Proof. See Appendix. ■

The observation that more information supports cooperation and welfare is intuitive, and supports Kandori's (1992) assertion that information about a player's reputation can sustain cooperation within a community. It also echoes results from imperfect private monitoring in infinitely repeated games by Sekiguchi (1997) and Bhaskar and Obara (2002) where, providing that monitoring is sufficiently accurate, the symmetric efficient payoff can be approximated. Experimental evidence such as that by Gallo and Yan (2015) also finds that information plays an important role in supporting cooperation.

5 Trust, visibility and obstruction

Having shown that a network which supports greater information transmission can support more cooperation, next we analyse the effect of different network positions on individual levels of trust, cooperation and payoffs. We identified two aspects of trust — players are trusted if other players can send and receive signals about them, whereas they are trusting if they are likely to receive signals about other players. We have linked these aspects of trust to two centrality measures, and next we examine in more detail how network positions relate to these two aspects of trust.

5.1 Visibility

We have shown that if player i emits a signal that is obstructed by player k , the probabilities that the signal is received by other nodes are determined by player i 's position in \mathbf{G}_{-k} , the network where k is disconnected. We now define the concept of visibility in networks.

Definition 5.1. *A node is **visible** if and only if everyone can still communicate, even when he is obstructing the signal. That is, player k is visible iff $p_{ij}(k, \mathbf{\Omega}) > 0 \quad \forall i, j \in N \setminus k$.*

Visibility depends on what the network looks like when a node is disconnected i.e. the structure of \mathbf{G}_{-k} . It requires two things for k to be visible. First, \mathbf{G}_{-k} must be connected, because a visible player does not disconnect the network by his absence, i.e. if \mathbf{G}_{-k} is connected then \mathbf{G} is 2-connected with respect to k . For example, in a tree network, only the leaf nodes are visible because every other player is needed to connect the network. Secondly, the diameter of \mathbf{G}_{-k} must be not be greater than T , the maximum distance a signal can travel.²⁸

Remark 5.1. *It holds that:*

- For i, j such that $d_{ij}(\mathbf{G}_{-k}) \leq T$, we have that $p_{ij}(k, \mathbf{\Omega}) \geq p^{d_{ij}(\mathbf{G}_{-k})} > 0$
- For i, j such that $d_{ij}(\mathbf{G}_{-k}) > T$, we have that $p_{ij}(k, \mathbf{\Omega}) = 0$


This implies that:

- If \mathbf{G}_{-k} is connected and $D_{\mathbf{G}_{-k}} \leq T$, then $p_{ij}(k, \mathbf{\Omega}) \geq p^{D_{\mathbf{G}_{-k}}} > 0 \quad \forall i, j$ and player k is visible.
- If the network is 2-connected and $\max_{k \in N} \{D_{\mathbf{G}_{-k}}\} \leq T$, all nodes are visible.
- If, in addition, $p = 1$, then $p_{ij}(k, \mathbf{\Omega}) = 1 \quad \forall i, j, k$, and there is perfect information.
- If \mathbf{G}_{-k} is not connected, then $\forall i \exists j$ such that $p_{ij}(k, \mathbf{\Omega}) = 0$

Only a visible player has a positive probability that everyone could find out if he deviates against any of his matches, and hence could potentially risk all of his period 3 losses by deviating. So a lack of visibility reduces a player's potential losses, and hence his likelihood

²⁸This implies 2-connectedness because a network with a finite diameter is connected.

Figure 2: A star network (L) and its corresponding cooperation network (R)



of cooperation. The link between player i 's visibility and the connectedness of \mathbf{G}_{-i} echoes the importance of 2-connectedness for cooperation that is highlighted by Renault and Tomala (1998) and Wolitzky (2014), because 2-connectedness is clearly a necessary condition for visibility. Like Kinatered (2008), we also find that the diameter of the network is important for cooperation, although in our case — because of obstruction — it is the diameter of the network that remains when a player is disconnected that matters. In fact, a sufficient condition for player i 's visibility is that $D_{\mathbf{G}_{-i}} \leq T$.

5.2 Example: star network

The concept of visibility sheds light on tree networks and in particular the star network, which is a canonical structure within the class of core-periphery networks (Hojman and Szeidl, 2008).


Remark 5.2. *For a given number of nodes in a connected information network that is informative and a tree, the star network has the most visible nodes of any tree configuration.*

Proof. See Appendix. ■

We can illustrate the importance of 2-connectedness with an example information network: the star network, shown on the left of Figure 2 with eight players.²⁹ The star network

²⁹Parameters for all examples are: $\alpha = 1.15, \delta = 0.95, \beta = 1.3, \sigma = 0.5$. We set $T = 6$, for the example

Figure 3: Expected losses and threshold losses in star network with eight nodes



is not 2-connected with respect to the centre because without him, all other players — the periphery — are singletons. On the other hand, the network is 2-connected with respect to the periphery players because they would not disconnect the network by their absence. Since the star network is not 2-connected with respect to all nodes, it is not 2-connected.

The cooperation network is shown on the right of Figure 2 ($p = 0.5$). Perhaps surprisingly, we observe that the player in the centre of the star cannot cooperate with any other player, while the players on the periphery can all cooperate with each other. To find out why, we can look at the losses in each partnership, shown in Figure 3. The solid line denotes the threshold losses L^* that must be attained by both players in a match to ensure cooperation. The circles show player 2's losses from defecting in each of his partnerships, and the asterisks

of a weekly market day, which would have 6 intervening days during which information flows through the information network before the next market day. Banerjee et al. (2013) set T to the number of trimesters during which the village was exposed to [intervention] (6.6 on average).

show his partners' losses.

We can see that player 1, in the centre of the star, can trust player 2 on the periphery. This is because 2's losses from a deviation against 1 are high, since a signal emitted by 1 about 2's deviation only has to travel one link to be received by the other periphery players — 2's potential future partners. But 2 cannot trust 1 in return, because 1's losses when matched with 2 are below the threshold line L^* . This is because if 1 were to deviate against 2, player 1 would obstruct any signal 2 would send about it — and without 1, player 2 is a singleton and so could not tell anyone. So 2 expects 1 to defect and therefore will also defect, and cooperation breaks down between them. This structure recalls the *gatekeeping* and *end network* effects highlighted by Lippert and Spagnolo (2011), because player 1 acts like a 'gatekeeper' of the information network with respect to the periphery players.³⁰

On the other hand, as shown in the chart, periphery players have relatively high losses when matched with each other, and these are symmetric, so they can all cooperate with each other. This is because player 1 in the centre of the star provides a walk of length two between all the periphery players, so a signal is very likely to pass between them if any of them deviate, leading to high losses and therefore more trust. The centre of the star misses out on cooperation himself, but supports cooperation by the other players, by ensuring they can communicate with each other.

5.3 Obstructiveness


A comparison between diffusion probabilities and obstructed diffusion probabilities gives us a measure of the effect of each player's obstruction.

Definition 5.2. *A node is **obstructive** if and only if his obstruction means that two or more nodes who could previously communicate no longer can. That is, player k is obstructive iff $\exists i, j \in N$ such that $w_{ij}(\Omega) > 0$ and $p_{ij}(k, \Omega) = 0$.*

Obstruction is linked to social distance, because player k is not obstructive if for all $\{i, j\}$ with $d_{ij}(\mathbf{G}) \leq T$ we also have that $d_{ij}(\mathbf{G}_{-k}) \leq T$. That is to say, player k is not obstructive if he does not increase the social distances too much by his absence from the information network. We collect the conditions for obstructiveness in the following Remark, highlighting the link between obstructiveness and the length of the *cycles* that include a player.

³⁰In fact, the periphery nodes could cooperate with the centre if they had additional links to each other. This recalls Myerson's (2008) model of an autocrat whose support depends on the ability of his 'courtiers' to observe his behaviour towards each of them, ensuring fairness.

Figure 4: Player k cannot be obstructive in a cycle of length 4 (L), but can be in a cycle length of 5 (R)




Remark 5.3. *If k has only one neighbour, k is not obstructive. If k has more than one neighbour, then k is not obstructive if and only if the following. For each pair of nodes l, m with $d_{lm}(\mathbf{G}) \leq T$ and for whom the sequence (i, k, j) is part of the shortest path(s) between them (implying that $i, j \in \mathcal{N}_k$), we require that $d_{lm}(\mathbf{G}) - 2 + d_{ij}(\mathbf{G}_{-k}) \leq T$, or equivalently that there exists a cycle in \mathbf{G} including the sequence (i, k, j) with length $\leq T + 4 - d_{lm}(\mathbf{G})$.*

More generally, if a player k has more than one neighbour, a sufficient condition for him not to be obstructive is if, for each pair of k 's neighbours $i, j \in \mathcal{N}_k$, there is a cycle of length ≤ 4 including the sequence (i, k, j) . This implies that for all $l, m \in N$ who have the sequence (i, k, j) as part of the shortest path(s) between them, we have that $d_{lm}(\mathbf{G}_{-k}) = d_{lm}(\mathbf{G})$.

Figure 4 shows an example of this result. In both networks in the Figure, \mathbf{G} is made up of all the solid and dashed links, while \mathbf{G}_{-k} includes only the solid links. In the network on the left, k is in a cycle of four in network \mathbf{G} , and $d_{lm}(\mathbf{G}) = 4$. If node k is disconnected, and we examine \mathbf{G}_{-k} , then the social distance between l and m is unchanged — it remains 4. This is because there is an alternative route between l and m via node o . Node o is connected to k 's neighbours i and j , so any other walks in a wider network which include the sequence $\{i, k, j\}$ could instead include the sequence $\{i, o, j\}$, which is the same length. So if k is in a cycle of length 4, his removal from the network does not increase the social distances of any other pairs of nodes. So k cannot be obstructive, no matter what the value of T is. On the other hand, the network on the right shows a case where k could be obstructive, depending on the value of T . Now in \mathbf{G}_{-k} , because of node q , the social distance between l and m has increased to 5 links, whereas before when k was present it was only 4. So if $T = 4$, with k passing on signals in the network it would be possible for l and m to communicate. Without

Figure 5: A line network (L) and its corresponding cooperation network (R)



him, they cannot: k is obstructive.

The length of the cycle determines whether or not k 's neighbours can still communicate, even when k is obstructing those signals. The importance of cycles of length four, our sufficient condition for a player not to be obstructive, recalls well-known results on the importance of network cycles of length three: Coleman's (1988) *closure*; and Jackson et al.'s (2012) *support*.

Proposition 5.1. *Player k is visible if and only if the network is informative ($w_{ij}(\Omega) > 0 \forall i, j \in N$) and player k is not obstructive.*


Proof. See Appendix. ■

Proposition 5.1 shows that there are two possible reasons why a player may not be visible: firstly, if the network is not informative, so that even without obstruction some nodes cannot communicate; and secondly, if the network is informative but a player is obstructive, in that he can prevent some nodes from communicating if he does not pass signals.

5.4 Example: line network

We can illustrate the links between payoffs and the different centrality measures using the line network of eight players, shown on the left of Figure 5. The cooperation network with uniform random matching is shown on the right, and payoffs and centralities are shown in Figure 6. Obstructed centrality increases for those players located nearer to the centre of the

Figure 6: Payoffs and centrality in a line network with eight nodes



line. As expected from Proposition 4.3, period 3 payoffs rise monotonically with obstructed centrality, because players who are more likely to receive information from the network — even if it has been obstructed by others — are more trusting.

On the other hand, there is a non-monotonic relationship between period 1 payoffs and centralities. The chart in Figure 6 shows that players 2, 3, 6 and 7 have the highest cooperation levels in equilibrium, but only moderate levels of either type of centrality. Looking at the cooperation network, we can see the same pattern: players 1 and 8 are not able to cooperate with anyone, and players 4 and 5 have fewer links in the cooperation network than players 2, 3, 6 and 7. This non-monotonic relationship between centrality ranking and cooperation is similar to a concept known as *middle-status conformity*, identified by sociologists Phillips and Zuckerman (2001), where those with a ‘middle’ level of status or ranking are most likely to conform to society’s norms. In another setting, Butler et al. (2009) also find a non-monotonic relationship between payoffs and trust.

5.4.1 A counterfactual without obstruction

We can use diffusion probabilities — without obstruction — as a useful counterfactual to investigate the effect of obstruction on cooperation in this network. These allow us to construct counterfactual expected losses without obstruction, and a counterfactual cooperation network, showing which players would cooperate, were it not for obstruction. This hypothetical network (not shown) includes additional cooperative links between players: 4 with 2, 3 and 5; and 5 with 4, 6 and 7.

This means that the losses without obstruction for the partners of players 1 and 8 are still too low to deter defection; we say that 1 and 8 have *poor network positions* in an *absolute* sense because they are too ‘tempting’ for anyone to cooperate with, even if the deviator could not obstruct their signals: they can trust no-one. On the other hand, we find that 4 and 5 have three more cooperative links in the counterfactual network; in fact the non-monotonic relationship between cooperation and obstructed centrality disappears when we remove the effect of obstruction. We say that 4 and 5 have *poor relative network positions* because they would have cooperated, were it not for their own obstruction of signals. Players with poor network positions in either sense reduce cooperation levels and hence welfare.

This also gives us an insight into the non-monotonic pattern of cooperation shown above. The temptation to cheat *against* poorly-connected players is high. The temptation to cheat *by* well-connected — but obstructive — players is also high. Partnerships that involve these two types of players are less likely to support cooperation because the temptation is to cheat

is too great on one or both sides. Pairs of players whose network positions are neither too isolated nor too obstructive have the greatest incentives for honesty.

6 Conclusion

This paper investigates the extent of cooperation in a finitely repeated game in a network setting. We apply Dixit (2003b)'s continuous model to a network: a discrete community of players who occupy its nodes. The players are randomly matched in pairs in the first and last periods, and play the stage game of a modified prisoners' dilemma. From the fixed information network, the model allows us to generate an endogenous network of potentially cooperative relationships. From this we can characterise how levels of cooperation depend on the structure of the information network. Individual players' payoffs are linked to whether their network positions mean they are *trusting* and/or *trusted*. Players are trusting if they are likely to receive information from the network, while they are trusted if others can pass signals about them. A pair of players can only cooperate if they are both trusted by each other. We find that cooperation and welfare both increase with more information. To operationalise the model which requires Bayesian updating, we develop a new, simple method for finding the probabilities of node-to-node information transmission in networks, which eliminates the problem of double counting.

We find that players with higher obstructed centrality (constructed from the probabilities of information transmission) receive more information from the network, even when others obstruct the signals, and hence are more *trusting*. But there can be a non-monotonic relationship between centrality measures and the extent to which players are *trusted*, which depends on their risk of punishment, leading to cooperation patterns with middle-status conformity. This is interesting because one might expect the most central player to have the highest payoffs, while we find that a player's central position may actually reduce his capacity to be trusted by others, for example in the star network. This is because players cannot commit to pass on a signal about their own bad reputation. Knowing this, players who rely on a central player for information transmission may not trust him, because they know he will obstruct any signal that they send to warn others about his bad reputation. This highlights the importance of 2-connectedness and cycles for cooperation and welfare, because these structures ensure that players are unable to completely obstruct signals about their reputations travelling between other players. Since the non-monotonic relationship between cooperation and centrality disappears in our counterfactual example of a line network

without obstruction, we conjecture (though we have no formal proof) that general results may exist linking middle-status conformity to line networks, or other acyclic networks.

The possible link between middle-status conformity and acyclic networks may also be of empirical interest. There is some experimental evidence that players with high centrality may be less ‘reciprocal’ in trust games (Riyanto and Yeo, 2014; Barr et al., 2009). Obstruction may also imply that acyclic networks are less likely to be observed in communities that use this kind of community enforcement mechanism. Where acyclic networks are present, we may find that central individuals seek other ways to dampen the negative effect of obstruction on their capacity to cooperate. For example, they may enlist their own neighbours (not just the neighbours of their potential victim) as *witnesses* to observe their actions, increasing their potential losses and making them more trusted. Secondly, obstructive, bridging players may *specialise* in information transmission: even though they cannot pass signals about themselves and are hence not trusted, they could share in the benefits of cooperation if transfers from other cooperating parties can be arranged. Finally, *local matching* may have a mitigating effect because if someone is more likely to meet the same player again, he will have higher losses from deviating against them, even if that player cannot communicate with others due to obstruction.

Some interesting extensions suggest themselves. The model focusses on the case of a bad reputation, and it may be interesting to fully characterise the case with a ‘good label’ (discussed in Appendix C.1), or both good and bad signals, as in Spence (1973) and Breza and Chandrasekhar (2015). It could also be interesting to introduce some stochasticity in payoffs in order to investigate the effect of risk on cooperative relationships, as observed by Baker (1984). It may be possible to use the model to investigate the interaction of formal and informal enforcement regimes, as examined by Kranton (1996), Dhillon and Rigolini (2011) and Dixit (2003a). Finally, the model might be useful in examining the relationships between prosocial behaviour and group size (Dixit, 2003b; Ostrom, 1990; Allcott et al., 2007; Larson, 2017b) or social distance (Chandrasekhar et al., 2014; Karlan et al., 2015).

A Word-of-mouth centrality and diffusion centrality


As described in Section 2, word-of-mouth centrality uses average probabilities of information transmission by diffusion to rank the nodes in a network. In contrast, diffusion centrality describes the expected number of times information is transmitted, but has often been used as an empirical approximation of these probabilities. This section examines the relationship between the two measures in more detail.

Banerjee et al. (2013) set out the structure for information transmission by diffusion in fixed networks. They empirically investigate the effects of information in social networks on the decisions of individuals to take up a microfinance opportunity in villages in India. They develop diffusion centrality as an approximation of *communication centrality*, a simulated measure linked to the Susceptible, Infected, Recovered model (Kermack and McKendrick, 1927; Bailey, 1957), which runs for a finite period of time and allows for non-participants to pass on the message. They find that diffusion centrality has a 0.86 correlation with communication centrality. It is given by $d_i = \left[\sum_{\tau=1}^T (p\mathbf{G})^\tau \mathbf{1} \right]_i$ where p is equal to the inverse of the largest eigenvalue of the adjacency matrix, $1/\lambda_{\max}(\mathbf{G})$. Banerjee et al. (2013) choose this critical value of $1/\lambda_{\max}(\mathbf{G})$ because “the entries of $[p\mathbf{G}]^T$ tend to 0 as T grows if $p < 1/\lambda_{\max}(\mathbf{G})$, and some entries diverge if $p > 1/\lambda_{\max}(\mathbf{G})$ ”. As T tends to infinity, diffusion centrality becomes proportional to either Bonacich centrality or eigenvector centrality, depending on whether p is smaller or larger than $1/\lambda_{\max}(\mathbf{G})$, respectively.

As we showed in Section 2.2, diffusion centrality does not take account of double counting, measuring instead the total amount of information travelling between nodes in a network. Of course there are many cases when the amount of information transmitted matters, and diffusion centrality has been found to have empirical relevance (Breza and Chandrasekhar, 2015; Fafchamps and Labonne, 2016). But if used to approximate a probability, it could overemphasise the benefit of hearing a lot of information, because at some point extra information may be redundant, if these signals are likely to have already been received via other walks in the network.

The diffusion probabilities presented in this paper eliminate this double counting, and may be easier to work with in an empirical context for two reasons, as shown in this section. First, they lie between zero and one, and so no transformation is required to approximate a probability. Second, they can be calculated for any value of the probability that two neighbours talk, not just when $p = 1/\lambda_{\max}(\mathbf{G})$. Third, in contrast to diffusion centrality, their relative rankings are affected by the parameter T on the length of information transmission.

Figure 7: Comparing centrality measures in a village.
 Link-level probability $p = 1/\lambda_{max}(\mathbf{G}) = 0.06$ (L), and $p = 0.15$ (R)



The next subsections compare word-of-mouth and diffusion centrality in both cardinal and ordinal terms.

A.1 Cardinal comparison

Figure 7 compares diffusion centrality and word-of-mouth centrality, using data from one of the Indian villages studied by Banerjee et al. (2013). Centralities are calculated at the household level.³¹ The value of $p = 1/\lambda_{max}(\mathbf{G})$ is used to compare the two centralities in the left chart, and there is clearly a strong relationship between the two measures. In fact, at

³¹Village number 1; $n = 182$. For this comparison we use $w_i = \frac{1}{n} \sum_{j \in N} w_{ij}$ (i.e. not excluding w_{ii} compared to the formula in Definition 2.3). This makes it more comparable with diffusion centrality, which includes the diagonal entries of the matrix in its sum.




Figure 8: A network of 12 nodes, 4 positions

this value of p , a linear transformation of diffusion centrality would be a good approximation of word-of-mouth centrality, and this approach is used by Breza and Chandrasekhar (2015). The chart suggests a transformation factor of 0.06 in this case.


The chart on the right shows the comparison between the two measures when we use a larger p , and while ranking seems to be generally preserved in this case, there is some divergence in the relative magnitude of the measures, as the word-of-mouth centralities converge towards 1. So if there is any empirical reason to suspect that p differs from $1/\lambda_{max}(\mathbf{G})$, a linear transformation of diffusion centrality may no longer be a good approximation of diffusion probabilities, and the word-of-mouth centrality approach may increase accuracy.. In particular, we can observe that the level of inequality in diffusion centrality between the nodes in a network is higher than when word-of-mouth centrality is used. This is because central nodes who receive a lot of information have extremely high values of diffusion centrality. But with word-of-mouth centrality, the effect of this extra information is discounted, due to the fact that it is probably redundant. Central nodes have probably received the signal via other walks already. This analysis suggests that if p is higher than the standard level, diffusion centrality could overemphasise the benefit of a central network position in relation to information transmission.

A.2 Ordinal comparison

We have shown that the relative levels of the two centrality measures can differ. In this section, we present an example network, shown in Figure 8, where the ranking of the centralities differs between diffusion and word-of-mouth. Figure 9 shows how the word-of-mouth centralities for this network change as T increases (with $p = 0.34$ — just slightly above $1/\lambda_{max}(\mathbf{G}) = 0.32$). We can observe that:

- Word-of-mouth centrality converges to an upper bound which is less than 1, whereas diffusion centrality grows beyond that; and

Figure 9: Comparing centrality measures as T increases



- The relative rankings of the two centralities are the same when T is low (less than 5), but after this point the rankings in word-of-mouth centrality switch around.

This switch may be due to the fact that, at low T , short walks are more important, and node positions a and b are most central. When T is higher, longer walks are also feasible and now nodes d overtakes a and c to have the second highest centrality. This change is not observable with diffusion centrality, perhaps because the summation formula does not allow for these differences to have an impact. With word-of-mouth centrality, rankings depend on the parameters p and T , and these parameters could be empirically observable.

This section has shown that there could be important differences in both ordering and relative levels if either diffusion centrality or word-of-mouth centrality are used.

B Proofs

B.1 Proof of Proposition 2.1

Diffusion probabilities and the information structure Ω .

1. **Increasing p :** We have that $\frac{\partial w_{ij}(p, T, \mathbf{G})}{\partial p} \geq 0$ with a strict inequality if and only if $l_{ij}(\tau, \mathbf{G}) > 0$ for any $\tau \leq T$, that is, if and only if i and j are connected by one or more walks of length $\leq T$ in the network \mathbf{G} .

2. **Increasing T to $T + 1$:** Let

$$F_{ij}(p, T, \mathbf{G}) = 1 - w_{ij}(\Omega) = \prod_{\tau=1}^T [1 - p^\tau]^{l_{ij}(\tau, \mathbf{G})}. \quad (\text{B.1})$$

If T increases to $T + 1$, we have that

$$F_{ij}(p, T + 1, \mathbf{G}) = F_{ij}(p, T, \mathbf{G})(1 - p^{(T+1)})^{l_{ij}(T+1, \mathbf{G})}. \quad (\text{B.2})$$

So $F_{ij}(p, T + 1, \mathbf{G}) < F_{ij}(p, T, \mathbf{G})$ if and only if $l_{ij}(T + 1, \mathbf{G}) \geq 1$; otherwise they are equal. The same argument holds for any further increases in T . Hence $F_{ij}(\Omega)$ is weakly monotonically decreasing in T and so $w_{ij}(\Omega)$ is weakly monotonically increasing in T .

3. **Adding a link to the information network:** Suppose that we add a link to the network \mathbf{G} , creating the network \mathbf{G}' , which has an additional walk of length τ between i and j so that $l_{ij}(\tau, \mathbf{G}') = l_{ij}(\tau, \mathbf{G}) + 1$. Now we compare $F_{ij}(p, T, \mathbf{G}')$ and $F_{ij}(p, T, \mathbf{G})$:

$$F_{ij}(p, T, \mathbf{G}') = F_{ij}(p, T, \mathbf{G})(1 - p^\tau). \quad (\text{B.3})$$

We have that $F_{ij}(p, T, \mathbf{G}') < F_{ij}(p, T, \mathbf{G})$ as required. Meanwhile any change to the network that leaves $l_{ij}(\tau)$ unchanged $\forall \tau \leq T$ leaves the probabilities unchanged.

B.2 Proof of Proposition 4.1

In Definition 2.1 we assumed that the probability of information travelling along each walk is independent, implying that players only recall signals they receive at the end of a walk,

and forget signals received and passed on in the intermediate steps of a walk. There are four cases.

An S-type player and a signal about himself: This S-type player has deviated in period 1. He will have strictly lower payoffs if his future partner is an S-type and has heard about his deviation, because they will exit against him instead of defecting. His period 3 payoffs are unchanged if he meets a B-type (because a B-type would not ‘punish’ him). He could match with anyone in period 3 and because he does not know which of these players are S-types and which are B-types, he does not want any of them to find out about his deviation. Therefore he will strictly prefer to conceal a signal about himself from all other players. This holds for all rounds of information transmission.

A B-type player and a signal about himself: A B-type’s payoffs are $x/2$ if his future partner has heard the signal about the B-type’s period 1 partner’s negative payoff, and x otherwise, so he strictly prefers to conceal a signal about himself.

An S-type player and a signal about someone else: S-type players are not expecting another S-type to deviate, so a signal about another player would imply that he is a B-type. An S-type player who has heard a signal about a B-type player, and meets him in period 3, has payoff 0. If he has not heard the signal, his payoff on meeting a B-type is $-\beta$. If he meets an S-type, his payoffs are unchanged by hearing a signal about a B-type. As he could meet any of the players in period 3, an S-type player strictly prefers to receive a signal about a B-type. Because players forget information after they have passed it on, and only remember information they receive at the end of its walk, they could increase their probability of receiving a signal, by passing it on - since this means it might come back to them.

However it is not the case that passing on a signal always increases the probability that it is received. Sometimes it may have no effect. For example, passing on a signal in round T of information transmission cannot increase their probability of receiving the signal back, because the signal does not have time to return to them. So he is indifferent between passing on a signal or not in information transmission round T .

But if players do not pass on the signal in round T , they cannot increase their probability of receiving it by passing it on in round $T - 1$, and so information transmission could quickly unravel. Specifically, a player can strictly increase his probability of receiving a signal by passing it on, if and only if other players pass it on in the following rounds, and he is part of a walk that returns to his network position in a number of links which is a factor of the number of information transmission rounds remaining. So we can observe that the strategy

for *all* S-type players to pass on signals about other players in *all* rounds is weakly preferred.

A B-type player and a signal about someone else: In this case, a B-type's payoffs in period 3 are not affected by whether he has heard a signal about a deviation or not. So he is indifferent between passing signals about other players and not passing them. Therefore the strategy to pass on signals about all other players in all rounds is weakly preferred. This means that in our model a B-type player has the same strategy for passing on signals as does an S-type. This seems reasonable: a B-type player may not wish to draw attention to himself by not passing on signals about other players, when it would not decrease his payoffs to do so.

Fabricating signals: We have assumed that a victim of a negative payoff automatically emits a signal about his partner's bad reputation. This is incentive compatible because the victim is indifferent about emitting this signal, since he will recall who harmed him anyway. On the other hand, an S-type player does not have incentives to fabricate a report of a deviation, because if he hears his own false report through the network and believes it, this could lead him to exit against an S-type player, and hence miss out on positive payoffs. For a B-type, he also has no incentive to fabricate rumours about other players, since the would not affect either his future partner's actions since they would be about someone else, or his own since these do not depend on his information set. So in our model, players do not have incentives to lie.

B.3 Proof of Proposition 4.3

We want to show that period 3 payoffs are increasing in obstructed centrality given in Definition 4.2. Ex ante, i could meet any player k in period 3, and any player j in period 1. So we want to find V_i , the average expected period 3 payoffs over any k and any j , and check that it is (weakly) increasing in P_i .

$$\begin{aligned}
 V_i &= \frac{1}{(n-1)^2} \sum_{k \neq i} \sum_{j \neq i} V_i^j(k) \\
 &= \frac{1}{(n-1)^2} \sum_{k \neq i} \sum_{j \neq i} [\sigma(1-\phi) - \beta\phi(1 - Q_i^j(k))] \\
 &= \sigma(1-\phi) - \beta\phi + \beta\phi \frac{1}{(n-1)^2} \sum_{k \neq i} \sum_{j \neq i} Q_i^j(k)
 \end{aligned} \tag{B.4}$$

$Q_i^j(k)$ is the conditional probability that, if player k is a B-type, an S-type player i who matched with another S-type player j in period 1 will hear a signal about player k :

$$Q_i^j(k) \equiv \Pr [\rho_i(k) = 1 \mid \{k \text{ is B-type}\}, r^i = r^j = 0, k, \mu_k^1 \notin \{i, j\}].$$

By the law of total expectations, $Q_i^j(k)$ is given by:

$$\begin{aligned} & \Pr [\rho_i(k) = 1 \mid \{k \text{ is B-type}\}, r^i = r^j = 0, k, \mu_k^1 \notin \{i, j\}] \\ &= \sum_{h \in N} [\Pr [\rho_i(k) = 1 \mid \{k \text{ is B-type}\}, r^i = r^j = 0, k, \mu_k^1 \notin \{i, j\}, \mu_k^1 = h] \Pr [\mu_k^1 = h \mid k, \mu_k^1 \notin \{i, j\}]]. \end{aligned}$$

The second term is

$$\begin{aligned} \Pr [\mu_k^1 = h \mid k, \mu_k^1 \notin \{i, j\}] &= \frac{\Pr [(\mu_k^1 = h) \cap (k, \mu_k^1 \notin \{i, j\})]}{\Pr [k, \mu_k^1 \notin \{i, j\}]} \\ &= \begin{cases} \frac{1/(n-1)}{\sum_{h \neq i, j} 1/(n-1)} = \frac{1}{n-2} & \forall h \notin \{i, j\} \\ 0 & \forall h \in \{i, j\} \end{cases}. \end{aligned}$$

The first term is

$$\Pr [\rho_i(k) = 1 \mid \{k \text{ is B-type}\}, r^i = r^j = 0, k, \mu_k^1 \notin \{i, j\}, \mu_k^1 = h] = \begin{cases} 0 & \forall k \in \{i, j\} \\ 0 & \forall h \in \{i, j\} \\ p_{hi}(k) & \text{otherwise} \end{cases}.$$

Therefore $Q_i^j(i) = Q_i^j(j) = 0$, and otherwise we have that:

$$Q_i^j(k) = \frac{1}{n-2} \sum_{h \neq i, j} p_{hi}(k) \quad \forall k \notin \{i, j\}. \quad (\text{B.5})$$

Let $P_i(k) = \frac{1}{n-1} \sum_{h \neq i} p_{hi}(k)$, noting that $\frac{1}{n-1} \sum_{k \neq i} P_i(k) = P_i$. We can substitute this into (B.5) to give

$$Q_i^j(k) = \frac{1}{n-2} \left[\sum_h p_{hi}(l) - p_{ji}(k) \right] = \frac{1}{n-2} [(n-1)P_i(k) - p_{ji}(k)].$$

Next we take the averages required.

$$\begin{aligned}
\frac{1}{(n-1)^2} \sum_{k \neq i} \sum_{j \neq i} Q_i^j(k) &= \frac{1}{(n-1)^2} \sum_{k \neq i} \sum_{j \neq i} \frac{1}{n-2} [(n-1)P_i(k) - p_{ji}(k)] \\
&= \frac{1}{(n-1)(n-2)} \sum_{k \neq i} \left[(n-1)P_i(k) - \frac{1}{(n-1)} \sum_{j \neq i} p_{ji}(k) \right] \\
&= \frac{1}{(n-2)} \left[(n-1)P_i - \frac{1}{(n-1)^2} \sum_{k \neq i} \sum_{j \neq i} p_{ji}(k) \right] \\
&= \frac{1}{(n-2)} [(n-1)P_i - P_i] = P_i
\end{aligned}$$

And therefore from (B.4) we have that $\frac{\partial V_i}{\partial P_i} = \beta\phi > 0$, as required.

B.4 Proof of Proposition 4.7

The expression for each player's utility given in Proposition 4.6 is strictly increasing in both the number of cooperative partnerships, and in period 3 payoffs. From Proposition 4.3, period 3 payoffs are increasing in information transmission probabilities. From Proposition 4.5 the number of cooperative partnerships is weakly increasing in the losses in each partnership, and from (4.7) losses are strictly increasing in information transmission probabilities. Putting these together, overall utility is weakly increasing in the probabilities of information transmission. So more information, in the sense of greater probabilities of information transmission, weakly increases the levels of cooperation and welfare in this repeated game. Finally, Proposition 2.1 showed that the probabilities of information transmission are weakly increasing in the three aspects of the information structure $\Omega = p, T, \mathbf{G}$.

B.5 Proof of Proposition 5.1

By Remark 5.1, the network is informative if and only if \mathbf{G} is connected and $D_{\mathbf{G}} \leq T$, and player k is visible if and only if \mathbf{G}_{-k} is connected and $D_{\mathbf{G}_{-k}} \leq T$. Since removing a node from the network cannot connect a disconnected network, and can only increase social distances so that $d_{ij}(\mathbf{G}_{-k}) \geq d_{ij}(\mathbf{G}) \quad \forall i, j, k \in N$, if \mathbf{G}_{-k} is connected and $D_{\mathbf{G}_{-k}} \leq T$, this implies that \mathbf{G} is connected and $D_{\mathbf{G}} \leq T$: i.e. a player's visibility implies the original network \mathbf{G} is

informative. When the network is informative, $w_{ij}(\mathbf{G}) > 0 \forall i, j \in N$, and so k is visible if and only if he is not obstructive.

B.6 Proof of Remark 5.2

There are $\frac{n!}{2(n-2)!}$ pairs in a network of n nodes, and if L is the number of visible nodes, there are $\frac{L!}{2(L-2)!}$ pairs where both partners are visible. In an informative tree network, all nodes except the leaf nodes are obstructive, because leaf nodes are the only ones who would not disconnect the network by their isolation. Nodes are defined as visible if they are not obstructive in an informative network, so only the leaf nodes in a tree network are visible. All nodes except the centre of the star are leaf nodes, and so the star has the maximum number of visible nodes for any tree: $L = n - 1$.

C Additional results

C.1 A good reputation

In our framework, an alternative specification with a good signal, which was emitted when one's partner cooperated, could work as follows.

Period 3 For punishment to provide an incentive for cooperation, there might need to be a parametric assumption that a player would only be rewarded for cooperation in the first round if a good signal about them was received by their final-round partner. This means that if a player received a good signal about their partner in the final round they would they defect, and otherwise they would punish (exit). Hence (3.1) would no longer hold, because we would want a player to exit against an unknown player. And it would imply that some S-type players would be punished in equilibrium, because a signal was not received by their partner, even though they had cooperated - in contrast to our model with a bad signal, where only the B-types are punished.

Period 2 With a good signal, this would mean everyone had an incentive to pass on a signal about themselves and about other players. This is because the reward for cooperation (mutual defection) would only be possible if both partners received a good signal about each other. This means there would be no obstruction. However, there would be an incentive to fabricate false reports of one's own cooperation (whether or not they were true), to increase the likelihood that such a report would be received by one's future

partner. This could perhaps be overcome by using evidentiary information (Nava, 2016; Wolitzky, 2014), where fabrication is not possible.

Period 1 In the first round, incentives to cooperate would depend on the probability that a good signal emitted by a player’s partner would reach his future partners, in the same way as the current model — but without obstruction. However, because (3.1) would not hold, players who could not cooperate would coordinate on the Nash equilibrium of mutual exit, rather than mutual defection. Parameters would also have to be assumed such that B-types did not have an incentive to cooperate in the first round because this would give them the opportunity to ‘steal everything’ in the final round — because if they did, good signals would no longer be informative and cooperation would unravel.

This is an interesting thought experiment because it suggests that there may be different welfare impacts of either good or bad signals in different networks and with different parameters. On one hand, cooperation might be higher with a good signal because there is no obstruction and so greater probabilities of information transmission. But on the other hand, welfare might be lower because some S-types would be wrongly punished in period 3, and because non-cooperating partners in period 1 could not defect, only exit.

C.2 Obstruction by subsets of nodes in different rounds of information transmission

Let X_τ be the subset of nodes who obstruct a signal in round τ of information transmission. Let $\mathbf{X} = \{X_\tau \subset N, 1 \leq \tau \leq T\}$ be the set of those subsets. Let $l_{ij}(\tau, \mathbf{G}, \mathbf{X})$ be the number of walks between i and j of length τ when the set of obstructing nodes is \mathbf{X} .

To calculate this, recall that nodes only remember the information they receive in the last round. So longer walks will not connect to other nodes, if the links it would traverse are those which connect a node who is obstructing in the relevant round of information transmission. So we have that, for example, $l_{ij}(1, \mathbf{G}, \mathbf{X}) = [\mathbf{G}_{-X_1}]_{ij}$ where \mathbf{G}_{-X_1} is the network \mathbf{G} with those nodes in X_1 disconnected. Then we have that $l_{ij}(2, \mathbf{G}, \mathbf{X}) = [\mathbf{G}_{-X_2} \mathbf{G}_{-X_1}]_{ij}$ and $l_{ij}(3, \mathbf{G}, \mathbf{X}) = [\mathbf{G}_{-X_3} \mathbf{G}_{-X_2} \mathbf{G}_{-X_1}]_{ij}$, and so on. In general, $l_{ij}(\tau, \mathbf{G}, \mathbf{X}) = [\prod_{\tau=1}^{\tau} \mathbf{G}_{-X_\tau}]_{ij}$, ensuring that the ordering of matrices \mathbf{G} is preserved.

C.3 Updated subjective probabilities

If i meets k in period 3 and has not heard any signal, there are two possibilities: either k is an S-type; or k is a B-type but i has not heard about it. Player i will still defect against the unknown player k due to Assumption 1. Now $\phi_i^j(k)$ is his updated belief that k is a B-type player, given that he has heard no signal about him, that is:

$$\phi_i^j(k) \equiv \Pr[\{k \text{ is B-type}\} \mid \rho_i(k) = \emptyset, \quad r^i = r^j = 0, \quad k, \mu_k^1 \notin \{i, j\}].$$

Let $Q_i^j(k)$ be the conditional probability that, if k is a B-type, an S-type player i who matched with another S-type player j in period 1 will hear a signal about player k (see next subsection).

$$Q_i^j(k) \equiv \Pr[\rho_i(k) = 1 \mid \{k \text{ is B-type}\}, \quad r^i = r^j = 0, \quad k, \mu_k^1 \notin \{i, j\}].$$

To find $\phi_i^j(k)$, we need the following expressions:

$$\begin{aligned} \Pr[\rho_i(k) = \emptyset \mid \{k \text{ is S-type}\}, \quad r^i = r^j = 0, \quad k, \mu_k^1 \notin \{i, j\}] &= 1 \\ \Pr[\rho_i(k) = \emptyset \cap \{k \text{ is S-type}\} \mid r^i = r^j = 0, \quad k, \mu_k^1 \notin \{i, j\}] &= 1 - \phi \\ \Pr[\rho_i(k) = \emptyset \mid \{k \text{ is B-type}\}, \quad r^i = r^j = 0, \quad k, \mu_k^1 \notin \{i, j\}] &= 1 - Q_i^j(k) \\ \Pr[\rho_i(k) = \emptyset \cap \{k \text{ is B-type}\} \mid r^i = r^j = 0, \quad k, \mu_k^1 \notin \{i, j\}] &= \phi(1 - Q_i^j(k)). \end{aligned}$$

Using the final equation from this list and Bayes' rule we have that

$$\begin{aligned} \phi_i^j(k) &= \Pr[\{k \text{ is B-type}\} \mid \rho_i(k) = \emptyset, \quad r^i = r^j = 0, \quad k, \mu_k^1 \notin \{i, j\}] \\ &= \frac{\phi(1 - Q_i^j(k))}{\phi(1 - Q_i^j(k)) + 1 - \phi} = \frac{\phi(1 - Q_i^j(k))}{1 - \phi Q_i^j(k)}. \end{aligned} \tag{C.1}$$

References

- Acemoglu, Daron, Kostas Bimpikis, and Asuman Ozdaglar (2014) “Dynamics of information exchange in endogenous social networks,” *Theoretical Economics*, Vol. 9, pp. 41–97.
- Ahn, Illtae and Matti Suominen (2001) “Word-Of-Mouth Communication and Community Enforcement,” *International Economic Review*, Vol. 42, pp. 399–415.
- Ali, S Nageeb and David A Miller (2013) “Enforcing cooperation in networked societies,” *Unpublished manuscript, University of California at San Diego*.
- Ali, S. Nageeb and David A. Miller (2016) “Ostracism and Forgiveness,” *American Economic Review*, Vol. 106, pp. 2329–2348.
- Allcott, Hunt, Dean Karlan, Markus M. Möbius, Tanya S. Rosenblat, and Adam Szeidl (2007) “Community Size and Network Closure,” *American Economic Review*, Vol. 97, pp. 80–85.
- Ambrus, Attila, Arun G. Chandrasekhar, and Matt Elliott (2014) “Social Investments, Informal Risk Sharing, and Inequality,” Working Paper 20669, National Bureau of Economic Research.
- Annen, Kurt (2003) “Social capital, inclusive networks, and economic performance,” *Journal of Economic Behavior & Organization*, Vol. 50, pp. 449–463.
- (2011) “Lies and slander: truth-telling in repeated matching games with private monitoring,” *Social Choice and Welfare*, Vol. 37, pp. 269–285.
- Bailey, Norman T. J. (1957) *Mathematical Theory of Epidemics*: Arnold.
- Baker, Wayne E. (1984) “The social structure of a national securities market,” *American Journal of Sociology*, pp. 775–811.
- Balmaceda, Felipe and Juan Escobar (2013) “Trust in Cohesive Communities,” Technical report, Diego Portales University.
- Banerjee, Abhijit, Arun G. Chandrasekhar, Esther Duflo, and Matthew O. Jackson (2013) “The Diffusion of Microfinance,” *Science*, Vol. 341, p. 1236498.

- (2014) “Gossip: Identifying central individuals in a social network,” Technical report, NBER.
- Barr, Abigail, Jean Ensminger, and Jeffrey Johnson (2009) “Social networks and trust in cross-cultural economic experiments,” in *Whom Can We Trust? How Groups, Networks, and Institutions Make Trust Possible*, pp. 65–90.
- Benoit, Jean-Pierre and Vijay Krishna (1985) “Finitely Repeated Games,” *Econometrica*, Vol. 53, pp. 905–922.
- (1993) “Renegotiation in Finitely Repeated Games,” *Econometrica*, Vol. 61, p. 303.
- Bhaskar, V. and Ichiro Obara (2002) “Belief-Based Equilibria in the Repeated Prisoners’ Dilemma with Private Monitoring,” *Journal of Economic Theory*, Vol. 102, pp. 40–69.
- Bloch, Francis, Gabrielle Demange, and Rachel Kranton (2014) “Rumors and Social Networks,” PSE Working Paper halshs-00966234, HAL.
- Bloch, Francis, Garance Genicot, and Debraj Ray (2008) “Informal insurance in social networks,” *Journal of Economic Theory*, Vol. 143, pp. 36–58.
- Bonacich, Phillip (1987) “Power and Centrality: A Family of Measures,” *American Journal of Sociology*, Vol. 92, pp. 1170–1182.
- Borgatti, Stephen P. (2005) “Centrality and network flow,” *Social Networks*, Vol. 27, pp. 55–71.
- Bramoullé, Yann and Garance Genicot (2018) “Diffusion Centrality: Foundations and Extensions,” p. 17.
- Breza, Emily and Arun G. Chandrasekhar (2015) “Social Networks, Reputation and Commitment: Evidence from a Savings Monitors Experiment,” SSRN Scholarly Paper ID 2607359, Social Science Research Network, Rochester, NY.
- Butler, Jeffrey, Paola Giuliano, and Luigi Guiso (2009) “The right amount of trust,” Technical report, NBER.
- Chandrasekhar, Arun G., Cynthia Kinnan, and Horacio Larreguy (2014) “Social Networks as Contract Enforcement: Evidence from a Lab Experiment in the Field,” Working Paper 20259, NBER.

- Chen, Bo (2010) “A belief-based approach to the repeated prisoners’ dilemma with asymmetric private monitoring,” *Journal of Economic Theory*, Vol. 145, pp. 402–420.
- Coleman, James S (1988) “Social capital in the creation of human capital,” *American journal of sociology*, pp. S95–S120.
- Crawford, Vincent P. and Joel Sobel (1982) “Strategic Information Transmission,” *Econometrica*, Vol. 50, pp. 1431–1451.
- Cruz, Cesi, Julien Labonne, and Pablo Querubín (2017) “Politician Family Networks and Electoral Outcomes: Evidence from the Philippines,” *American Economic Review*, Vol. 107, pp. 3006–3037.
- Degroot, Morris H. (1974) “Reaching a Consensus,” *Journal of the American Statistical Association*, Vol. 69, pp. 118–121.
- Dhillon, Amrita and Jamele Rigolini (2011) “Development and the interaction of enforcement institutions,” *Journal of Public Economics*, Vol. 95, pp. 79–87.
- Dixit, Avinash (2003a) “On modes of economic governance,” *Econometrica*, Vol. 71, pp. 449–481.
- (2003b) “Trade expansion and contract enforcement,” *Journal of Political Economy*, Vol. 111, pp. 1293–1317.
- Ellison, Glenn (1994) “Cooperation in the prisoner’s dilemma with anonymous random matching,” *The Review of Economic Studies*, Vol. 61, pp. 567–588.
- Fafchamps, Marcel (2002) “Spontaneous Market Emergence,” *Topics in Theoretical Economics*, Vol. 2.
- Fafchamps, Marcel and Julien Labonne (2016) “Family Networks and Distributive Politics,” Technical report, CEPR Discussion Papers.
- Fainmesser, Itay P (2012) “Community Structure and Market Outcomes: A Repeated Games-in-Networks Approach,” *American Economic Journal: Microeconomics*, Vol. 4, pp. 32–69.
- Fainmesser, Itay P. and David A. Goldberg (2012) “Cooperation in partly observable networked markets,” Technical report, Working paper, July.

- Farrell, Joseph and Eric Maskin (1989) “Renegotiation in repeated games,” *Games and Economic Behavior*, Vol. 1, pp. 327–360.
- Fong, Kyna, Yuliy Sannikov, Olivier Gossner, and Johannes Horner (2011) “Efficiency in the repeated prisoners’ dilemma with imperfect private monitoring.”
- Fuente, Angel de la (2000) *Mathematical Methods and Models for Economists*, Cambridge, UK ; New York, NY: Cambridge University Press.
- Fukuyama, Francis (1996) *Trust: The Social Virtues and the Creation of Prosperity*, New York, NY: The Free Press, 1st edition.
- (2001) “Social capital, civil society and development,” *Third World Quarterly*, Vol. 22, pp. 7–20.
- Galeotti, Andrea, Christian Ghiglino, and Francesco Squintani (2013) “Strategic information transmission networks,” *Journal of Economic Theory*, Vol. 148, pp. 1751–1769.
- Gallo, Edoardo (2014) “Social learning by chit-chat,” *Journal of Economic Theory*, Vol. 153, pp. 313–343.
- Gallo, Edoardo and Chang Yan (2015) “The effects of reputational and social knowledge on cooperation,” *Proceedings of the National Academy of Sciences*, Vol. 112, pp. 3647–3652.
- Golub, Benjamin and Matthew O. Jackson (2012) “How Homophily Affects the Speed of Learning and Best-Response Dynamics,” *The Quarterly Journal of Economics*, Vol. 127, pp. 1287–1338.
- Goyal, Sanjeev (2007) *Connections: An Introduction to the Economics of Networks*, Princeton, N.J.: Princeton University Press.
- (2016) “Networks in Economics.”
- Greif, Avner (1993) “Contract Enforceability and Economic Institutions in Early Trade: The Maghribi Traders’ Coalition,” *The American Economic Review*, Vol. 83, pp. pp. 525–548.
- Hagenbach, Jeanne and Frédéric Koessler (2010) “Strategic communication networks,” *The Review of Economic Studies*, Vol. 77, pp. 1072–1099.

- Hojman, Daniel A. and Adam Szeidl (2008) “Core and periphery in networks,” *Journal of Economic Theory*, Vol. 139, pp. 295–309.
- Jackson, Matthew O. (2008) *Social and Economic Networks*, Princeton, NJ: Princeton University Press.
- Jackson, Matthew O., Tomas Rodriguez-Barraquer, and Xu Tan (2012) “Social capital and social quilts: Network patterns of favor exchange,” *The American Economic Review*, Vol. 102, pp. 1857–1897.
- Kandori, Michihiro (1992) “Social norms and community enforcement,” *The Review of Economic Studies*, Vol. 59, pp. 63–80.
- (2002) “Introduction to Repeated Games with Private Monitoring,” *Journal of Economic Theory*, Vol. 102, pp. 1–15.
- Karlan, Dean, Markus Mobius, Tanya Rosenblat, and Adam Szeidl (2009) “Trust and Social Collateral,” *The Quarterly Journal of Economics*, Vol. 124, pp. 1307–1361.
- Karlan, Dean, Markus M Mobius Tanya, S Rosenblat, and Adam Szeidl (2015) “Measuring Trust in Peruvian Shantytowns,” p. 19.
- Kermack, William and Anderson McKendrick (1927) “A contribution to the mathematical theory of epidemics,” *Proceedings of the Royal Society of London A: mathematical, physical and engineering sciences*, Vol. 115.
- Kinateder, Markus (2008) “Repeated Games Played in a Network,” SSRN Scholarly Paper ID 1115733, Social Science Research Network, Rochester, NY.
- Knack, Stephen and Philip Keefer (1997) “Does social capital have an economic payoff? A cross-country investigation,” *The Quarterly journal of economics*, pp. 1251–1288.
- Kranton, Rachel E. (1996) “Reciprocal Exchange: A Self-Sustaining System,” *The American Economic Review*, Vol. 86, pp. 830–851.
- Laclau, Marie (2012) “A folk theorem for repeated games played on a network,” *Games and Economic Behavior*, Vol. 76, pp. 711–737.
- (2014) “Communication in repeated network games with imperfect monitoring,” *Games and Economic Behavior*, Vol. 87, pp. 136–160.

- Larson, Jennifer M. (2017a) “Networks and Interethnic Cooperation,” *The Journal of Politics*, Vol. 79, pp. 546–559.
- (2017b) “Why the West Became Wild: Informal Governance with Incomplete Networks,” *World Politics*, Vol. 69, pp. 713–749.
- Leeson, Peter T. (2005) “Endogenizing fractionalization,” *Journal of Institutional Economics*, Vol. 1, pp. 75–98.
- Levy, Gilat and Ronny Razin (2014) “A simple Bayesian heuristic for social learning and groupthink.”
- Lippert, Steffen and Giancarlo Spagnolo (2011) “Networks of relations and word-of-mouth communication,” *Games and Economic Behavior*, Vol. 72, pp. 202–217.
- Moore, Christopher and Mark E.J. Newman (2000) “Epidemics and percolation in small-world networks,” *Physical Review E*, Vol. 61, p. 5678.
- Mueller-Frank, Manuel and Claudia Neri (2015) “Quasi-Bayesian updating in social networks,” *Available at SSRN*.
- Myerson, Roger B. (2008) “The Autocrat’s Credibility Problem and Foundations of the Constitutional State,” *American Political Science Review*, Vol. 102.
- Nava, Francesco (2016) “Repeated Games and Networks,” in Yann Bramoullé, Andrea Galeotti, and Brian Rogers eds. *The Oxford Handbook of the Economics of Networks*: OUP USA.
- Nava, Francesco and Michele Piccione (2014) “Efficiency in repeated games with local interaction and uncertain local monitoring,” *Theoretical Economics*, Vol. 9, pp. 279–312.
- Noh, Jae Dong and Heiko Rieger (2004) “Random Walks on Complex Networks,” *Physical Review Letters*, Vol. 92.
- Ostrom, Elinor (1990) *Governing the Commons: The Evolution of Institutions for Collective Action*, Cambridge ; New York: Cambridge University Press.
- Papaioannou, Elias (2013) “Trust(ing) in Europe? How increased social capital can contribute to economic development,” *European View*, Vol. 12, pp. 323–323.

- Phillips, Damon J. and Ezra Zuckerman (2001) “Middle Status Conformity: Theoretical Re-statement and Empirical Demonstration in Two Markets,” *American Journal of Sociology*, Vol. 107, pp. 379–429.
- Piccione, Michele (2002) “The Repeated Prisoner’s Dilemma with Imperfect Private Monitoring,” *Journal of Economic Theory*, Vol. 102, pp. 70–83.
- Piraveenan, Mahendra, Mikhail Prokopenko, and Liaquat Hossain (2013) “Percolation Centrality: Quantifying Graph-Theoretic Impact of Nodes during Percolation in Networks,” *PLoS ONE*, Vol. 8, p. e53095.
- Putnam, Robert D., Robert Leonardi, and Raffaella Y. Nanetti (1994) *Making Democracy Work: Civic Traditions in Modern Italy*, Princeton, NJ: Princeton University Press, new ed edition edition.
- Raub, Werner and Jeroen Weesie (1990) “Reputation and efficiency in social interactions: An example of network effects,” *American Journal of Sociology*, pp. 626–654.
- Renault, Jerome and Tristan Tomala (1998) “Repeated proximity games,” *International Journal of Game Theory*, Vol. 27, pp. 539–559.
- Riyanto, Yohanes E. and Jonathan Yeo (2014) “Directed Trust and Reciprocity in a Real-Life Social Network: An Experimental Investigation.”
- Samuelson, Larry and George J. Mailath (2006) *Repeated Games and Reputations: Long-Run Relationships*, Oxford ; New York: OUP USA.
- Sekiguchi, Tadashi (1997) “Efficiency in Repeated Prisoner’s Dilemma with Private Monitoring,” *Journal of Economic Theory*, Vol. 76, pp. 345–361.
- Sobel, Joel (2002) “Can we trust social capital?” *Journal of economic literature*, Vol. 40, pp. 139–154.
- Spence, Michael (1973) “Job Market Signaling,” *The Quarterly Journal of Economics*, Vol. 87, pp. 355–374.
- Stephenson, Karen and Marvin Zelen (1989) “Rethinking centrality: Methods and examples,” *Social Networks*, Vol. 11, pp. 1–37.

Teytelboym, Alex, Yongwhan Lim, and Asu Ozdaglar (2015) “A simple model of cascades in networks.”

Tilly, Charles (2004) “Trust and Rule,” *Theory and Society*, Vol. 33, pp. 1–30.

Wolitzky, Alexander (2013) “Cooperation with network monitoring,” *The Review of Economic Studies*, Vol. 80, pp. 395–427.

——— (2014) “Communication with tokens in repeated games on networks,” *Theoretical Economics*.

DRAFT